



Vital and Health Statistics

From the CENTERS FOR DISEASE CONTROL AND PREVENTION / National Center for Health Statistics

Method for Constructing Complete Annual U.S. Life Tables

December 1999



U.S. DEPARTMENT OF HEALTH AND HUMAN SERVICES
Centers for Disease Control and Prevention
National Center for Health Statistics



Contents

| | |
|---|----|
| Abstract | 1 |
| Introduction | 1 |
| Background | 1 |
| Complete versus Abridged Life Tables | 1 |
| Extending the Open-Ended Age Interval to 100 Years and Over | 2 |
| Heterogeneity of Mortality Risk | 2 |
| Age Misstatement | 2 |
| Medicare Data as a Standard | 3 |
| Methods | 4 |
| Adjustment for Deaths for Which Age Was Not Reported | 4 |
| Interpolation of P_x and D_x | 4 |
| Calculation of q_0 | 6 |
| Calculation of q_x for Ages 1–84 Years | 6 |
| Use of Medicare Data at Ages 85–99 Years | 6 |
| Survivor Function l_x | 7 |
| Decrement Function d_x | 7 |
| Stationary Population L_x | 7 |
| Person-Years Lived at and Over Age x T_x | 8 |
| Life Expectancy at Age x e_x | 8 |
| Results | 8 |
| Conclusions | 10 |
| References | 10 |

Text Tables

| | | |
|----|---|---|
| A. | Interpolation coefficients based on Beer’s ordinary formula for the subdivision of grouped data into fifths | 5 |
| B. | Births in 1995 and 1996, deaths in 1996 of infants born in 1995 and 1996, and separation factors by race and sex: United States | 6 |
| C. | k values by age, race, and sex based on insured Medicare data: United States, 1996 | 7 |
| D. | Slope of the changes in k values by age, race, and sex | 8 |
| E. | Comparison of 1996 probabilities of dying by race and sex based on vital statistics and Medicare data | 8 |
| F. | Life expectancy by age, race, and sex from 1996 complete U.S. life tables, 1996 abridged U.S. life tables, and 1989–91 U.S. decennial life tables | 9 |

Figures

| | | |
|----|--|---|
| 1. | Vital statistics death rates, aged 65 years and over: United States, 1970, 1980, and 1990 | 3 |
| 2. | Probability of dying by single years of age, 65–99 years for white males based on vital statistics data and Medicare data: United States, 1996 | 3 |
| 3. | Probability of dying by single years of age, 65–99 years for white females based on vital statistics data and Medicare data: United States, 1996 | 4 |
| 4. | Probability of dying by single years of age, 65–99 years for black males based on vital statistics data and Medicare data: United States, 1996 | 4 |

| | | |
|----|--|---|
| 5. | Probability of dying by single years of age, 65–99 years for black females based on vital statistics data and Medicare data: United States, 1996 | 5 |
| 6. | <i>k</i> values by age, race, and sex based on insured Medicare data: United States, 1996 | 7 |

Detailed Tables

| | | |
|----|--|----|
| 1. | Life table for the total population: United States, 1996 | 11 |
| 2. | Life table for males: United States, 1996 | 13 |
| 3. | Life table for females: United States, 1996 | 15 |
| 4. | Life table for the white population: United States, 1996 | 17 |
| 5. | Life table for white males: United States, 1996 | 19 |
| 6. | Life table for white females: United States, 1996 | 21 |
| 7. | Life table for the black population: United States, 1996 | 23 |
| 8. | Life table for black males: United States, 1996 | 25 |
| 9. | Life table for black females: United States, 1996 | 27 |

Table 1. Life table for the total population: United States, 1996

| Age | Proportion dying during age interval $q(x)$ | Number living at beginning of age interval $l(x)$ | Number dying during age interval $d(x)$ | Stationary population in the age interval $L(x)$ | Stationary population in this and all subsequent age intervals $T(x)$ | Life expectancy at beginning of age interval $e(x)$ |
|-------|---|---|---|--|---|---|
| 0-1 | 0.007320 | 100,000 | 732 | 99,365 | 7,617,716 | 76.18 |
| 1-2 | 0.000571 | 99,268 | 57 | 99,240 | 7,518,350 | 75.74 |
| 2-3 | 0.000391 | 99,211 | 39 | 99,192 | 7,419,111 | 74.78 |
| 3-4 | 0.000324 | 99,173 | 32 | 99,156 | 7,319,919 | 73.81 |
| 4-5 | 0.000256 | 99,140 | 25 | 99,128 | 7,220,762 | 72.83 |
| 5-6 | 0.000227 | 99,115 | 22 | 99,104 | 7,121,634 | 71.85 |
| 6-7 | 0.000210 | 99,093 | 21 | 99,082 | 7,022,531 | 70.87 |
| 7-8 | 0.000197 | 99,072 | 19 | 99,062 | 6,923,448 | 69.88 |
| 8-9 | 0.000180 | 99,052 | 18 | 99,043 | 6,824,386 | 68.90 |
| 9-10 | 0.000159 | 99,034 | 16 | 99,027 | 6,725,343 | 67.91 |
| 10-11 | 0.000143 | 99,019 | 14 | 99,012 | 6,626,317 | 66.92 |
| 11-12 | 0.000148 | 99,005 | 15 | 98,997 | 6,527,305 | 65.93 |
| 12-13 | 0.000194 | 98,990 | 19 | 98,980 | 6,428,308 | 64.94 |
| 13-14 | 0.000291 | 98,971 | 29 | 98,956 | 6,329,327 | 63.95 |
| 14-15 | 0.000424 | 98,942 | 42 | 98,921 | 6,230,371 | 62.97 |
| 15-16 | 0.000575 | 98,900 | 57 | 98,871 | 6,131,450 | 62.00 |
| 16-17 | 0.000715 | 98,843 | 71 | 98,808 | 6,032,579 | 61.03 |
| 17-18 | 0.000825 | 98,772 | 82 | 98,732 | 5,933,771 | 60.08 |
| 18-19 | 0.000893 | 98,691 | 88 | 98,647 | 5,835,040 | 59.12 |
| 19-20 | 0.000927 | 98,603 | 91 | 98,557 | 5,736,393 | 58.18 |
| 20-21 | 0.000960 | 98,511 | 95 | 98,464 | 5,637,836 | 57.23 |
| 21-22 | 0.000999 | 98,417 | 98 | 98,368 | 5,539,372 | 56.28 |
| 22-23 | 0.001026 | 98,318 | 101 | 98,268 | 5,441,004 | 55.34 |
| 23-24 | 0.001037 | 98,217 | 102 | 98,167 | 5,342,737 | 54.40 |
| 24-25 | 0.001040 | 98,116 | 102 | 98,065 | 5,244,570 | 53.45 |
| 25-26 | 0.001036 | 98,014 | 102 | 97,963 | 5,146,505 | 52.51 |
| 26-27 | 0.001040 | 97,912 | 102 | 97,861 | 5,048,543 | 51.56 |
| 27-28 | 0.001064 | 97,810 | 104 | 97,758 | 4,950,681 | 50.62 |
| 28-29 | 0.001116 | 97,706 | 109 | 97,652 | 4,852,923 | 49.67 |
| 29-30 | 0.001187 | 97,597 | 116 | 97,539 | 4,755,272 | 48.72 |
| 30-31 | 0.001264 | 97,481 | 123 | 97,420 | 4,657,732 | 47.78 |
| 31-32 | 0.001338 | 97,358 | 130 | 97,293 | 4,560,313 | 46.84 |
| 32-33 | 0.001416 | 97,228 | 138 | 97,159 | 4,463,020 | 45.90 |
| 33-34 | 0.001498 | 97,090 | 145 | 97,017 | 4,365,861 | 44.97 |
| 34-35 | 0.001584 | 96,945 | 154 | 96,868 | 4,268,843 | 44.03 |
| 35-36 | 0.001674 | 96,791 | 162 | 96,710 | 4,171,975 | 43.10 |
| 36-37 | 0.001770 | 96,629 | 171 | 96,544 | 4,075,265 | 42.17 |
| 37-38 | 0.001872 | 96,458 | 181 | 96,368 | 3,978,722 | 41.25 |
| 38-39 | 0.001984 | 96,277 | 191 | 96,182 | 3,882,354 | 40.32 |
| 39-40 | 0.002108 | 96,086 | 203 | 95,985 | 3,786,172 | 39.40 |
| 40-41 | 0.002245 | 95,884 | 215 | 95,776 | 3,690,187 | 38.49 |
| 41-42 | 0.002396 | 95,669 | 229 | 95,554 | 3,594,410 | 37.57 |
| 42-43 | 0.002562 | 95,439 | 245 | 95,317 | 3,498,856 | 36.66 |
| 43-44 | 0.002742 | 95,195 | 261 | 95,064 | 3,403,539 | 35.75 |
| 44-45 | 0.002935 | 94,934 | 279 | 94,795 | 3,308,475 | 34.85 |
| 45-46 | 0.003143 | 94,655 | 298 | 94,506 | 3,213,680 | 33.95 |
| 46-47 | 0.003369 | 94,358 | 318 | 94,199 | 3,119,174 | 33.06 |
| 47-48 | 0.003618 | 94,040 | 340 | 93,870 | 3,024,975 | 32.17 |
| 48-49 | 0.003900 | 93,700 | 365 | 93,517 | 2,931,106 | 31.28 |
| 49-50 | 0.004229 | 93,334 | 395 | 93,137 | 2,837,589 | 30.40 |
| 50-51 | 0.004629 | 92,939 | 430 | 92,724 | 2,744,452 | 29.53 |
| 51-52 | 0.005092 | 92,509 | 471 | 92,274 | 2,651,728 | 28.66 |
| 52-53 | 0.005585 | 92,038 | 514 | 91,781 | 2,559,454 | 27.81 |
| 53-54 | 0.006071 | 91,524 | 556 | 91,246 | 2,467,673 | 26.96 |
| 54-55 | 0.006556 | 90,969 | 596 | 90,670 | 2,376,426 | 26.12 |
| 55-56 | 0.007078 | 90,372 | 640 | 90,052 | 2,285,756 | 25.29 |
| 56-57 | 0.007691 | 89,732 | 690 | 89,387 | 2,195,704 | 24.47 |
| 57-58 | 0.008406 | 89,042 | 748 | 88,668 | 2,106,317 | 23.66 |
| 58-59 | 0.009252 | 88,294 | 817 | 87,885 | 2,017,648 | 22.85 |
| 59-60 | 0.010225 | 87,477 | 894 | 87,030 | 1,929,763 | 22.06 |
| 60-61 | 0.011299 | 86,582 | 978 | 86,093 | 1,842,733 | 21.28 |
| 61-62 | 0.012445 | 85,604 | 1,065 | 85,071 | 1,756,640 | 20.52 |
| 62-63 | 0.013633 | 84,539 | 1,153 | 83,963 | 1,671,569 | 19.77 |
| 63-64 | 0.014813 | 83,386 | 1,235 | 82,769 | 1,587,606 | 19.04 |

Table 1. Life table for the total population: United States, 1996—Con.

| Age | Proportion dying during age interval $q(x)$ | Number living at beginning of age interval $l(x)$ | Number dying during age interval $d(x)$ | Stationary population in the age interval $L(x)$ | Stationary population in this and all subsequent age intervals $T(x)$ | Life expectancy at beginning of age interval $e(x)$ |
|--------|---|---|---|--|---|---|
| 64-65 | 0.015982 | 82,151 | 1,313 | 81,495 | 1,504,837 | 18.32 |
| 65-66 | 0.017105 | 80,838 | 1,383 | 80,147 | 1,423,343 | 17.61 |
| 66-67 | 0.018294 | 79,455 | 1,454 | 78,729 | 1,343,196 | 16.91 |
| 67-68 | 0.019719 | 78,002 | 1,538 | 77,233 | 1,264,468 | 16.21 |
| 68-69 | 0.021510 | 76,464 | 1,645 | 75,641 | 1,187,235 | 15.53 |
| 69-70 | 0.023638 | 74,819 | 1,769 | 73,935 | 1,111,593 | 14.86 |
| 70-71 | 0.025965 | 73,050 | 1,897 | 72,102 | 1,037,659 | 14.20 |
| 71-72 | 0.028349 | 71,154 | 2,017 | 70,145 | 965,557 | 13.57 |
| 72-73 | 0.030821 | 69,137 | 2,131 | 68,071 | 895,412 | 12.95 |
| 73-74 | 0.033353 | 67,006 | 2,235 | 65,888 | 827,341 | 12.35 |
| 74-75 | 0.036004 | 64,771 | 2,332 | 63,605 | 761,452 | 11.76 |
| 75-76 | 0.038826 | 62,439 | 2,424 | 61,227 | 697,847 | 11.18 |
| 76-77 | 0.041959 | 60,015 | 2,518 | 58,756 | 636,621 | 10.61 |
| 77-78 | 0.045564 | 57,496 | 2,620 | 56,187 | 577,865 | 10.05 |
| 78-79 | 0.049807 | 54,877 | 2,733 | 53,510 | 521,679 | 9.51 |
| 79-80 | 0.054720 | 52,143 | 2,853 | 50,717 | 468,169 | 8.98 |
| 80-81 | 0.060275 | 49,290 | 2,971 | 47,805 | 417,452 | 8.47 |
| 81-82 | 0.066397 | 46,319 | 3,075 | 44,781 | 369,647 | 7.98 |
| 82-83 | 0.073125 | 43,244 | 3,162 | 41,663 | 324,866 | 7.51 |
| 83-84 | 0.080462 | 40,082 | 3,225 | 38,469 | 283,203 | 7.07 |
| 84-85 | 0.088558 | 36,857 | 3,264 | 35,225 | 244,734 | 6.64 |
| 85-86 | 0.097012 | 33,593 | 3,259 | 31,963 | 209,509 | 6.24 |
| 86-87 | 0.106082 | 30,334 | 3,218 | 28,725 | 177,546 | 5.85 |
| 87-88 | 0.115965 | 27,116 | 3,144 | 25,544 | 148,821 | 5.49 |
| 88-89 | 0.126783 | 23,971 | 3,039 | 22,452 | 123,278 | 5.14 |
| 89-90 | 0.138706 | 20,932 | 2,903 | 19,480 | 100,826 | 4.82 |
| 90-91 | 0.151603 | 18,029 | 2,733 | 16,662 | 81,346 | 4.51 |
| 91-92 | 0.165104 | 15,296 | 2,525 | 14,033 | 64,683 | 4.23 |
| 92-93 | 0.179012 | 12,770 | 2,286 | 11,627 | 50,651 | 3.97 |
| 93-94 | 0.193458 | 10,484 | 2,028 | 9,470 | 39,023 | 3.72 |
| 94-95 | 0.208669 | 8,456 | 1,764 | 7,574 | 29,553 | 3.49 |
| 95-96 | 0.224655 | 6,691 | 1,503 | 5,940 | 21,980 | 3.28 |
| 96-97 | 0.241180 | 5,188 | 1,251 | 4,563 | 16,040 | 3.09 |
| 97-98 | 0.257808 | 3,937 | 1,015 | 3,429 | 11,477 | 2.92 |
| 98-99 | 0.274304 | 2,922 | 801 | 2,521 | 8,048 | 2.75 |
| 99-100 | 0.290583 | 2,120 | 616 | 1,812 | 5,527 | 2.61 |
| 100+ | 1.00000 | 1,504 | 1,504 | 3,714 | 3,714 | 2.47 |

Table 2. Life table for males: United States, 1996

| Age | Proportion dying during age interval $q(x)$ | Number living at beginning of age interval $l(x)$ | Number dying during age interval $d(x)$ | Stationary population in the age interval $L(x)$ | Stationary population in this and all subsequent age intervals $T(x)$ | Life expectancy at beginning of age interval $e(x)$ |
|-------|---|---|---|--|---|---|
| 0-1 | 0.008020 | 100,000 | 802 | 99,304 | 7,307,754 | 73.08 |
| 1-2 | 0.000601 | 99,198 | 60 | 99,168 | 7,208,450 | 72.67 |
| 2-3 | 0.000447 | 99,138 | 44 | 99,116 | 7,109,282 | 71.71 |
| 3-4 | 0.000365 | 99,094 | 36 | 99,076 | 7,010,166 | 70.74 |
| 4-5 | 0.000285 | 99,058 | 28 | 99,044 | 6,911,090 | 69.77 |
| 5-6 | 0.000256 | 99,030 | 25 | 99,017 | 6,812,046 | 68.79 |
| 6-7 | 0.000242 | 99,004 | 24 | 98,992 | 6,713,029 | 67.81 |
| 7-8 | 0.000228 | 98,980 | 23 | 98,969 | 6,614,037 | 66.82 |
| 8-9 | 0.000205 | 98,958 | 20 | 98,948 | 6,515,067 | 65.84 |
| 9-10 | 0.000174 | 98,938 | 17 | 98,929 | 6,416,120 | 64.85 |
| 10-11 | 0.000147 | 98,920 | 15 | 98,913 | 6,317,191 | 63.86 |
| 11-12 | 0.000152 | 98,906 | 15 | 98,898 | 6,218,278 | 62.87 |
| 12-13 | 0.000218 | 98,891 | 22 | 98,880 | 6,119,380 | 61.88 |
| 13-14 | 0.000363 | 98,869 | 36 | 98,851 | 6,020,500 | 60.89 |
| 14-15 | 0.000563 | 98,833 | 56 | 98,805 | 5,921,648 | 59.92 |
| 15-16 | 0.000786 | 98,778 | 78 | 98,739 | 5,822,843 | 58.95 |
| 16-17 | 0.000992 | 98,700 | 98 | 98,651 | 5,724,104 | 57.99 |
| 17-18 | 0.001161 | 98,602 | 115 | 98,545 | 5,625,453 | 57.05 |
| 18-19 | 0.001276 | 98,488 | 126 | 98,425 | 5,526,908 | 56.12 |
| 19-20 | 0.001348 | 98,362 | 133 | 98,296 | 5,428,484 | 55.19 |
| 20-21 | 0.001421 | 98,229 | 140 | 98,160 | 5,330,188 | 54.26 |
| 21-22 | 0.001501 | 98,090 | 147 | 98,016 | 5,232,028 | 53.34 |
| 22-23 | 0.001550 | 97,942 | 152 | 97,867 | 5,134,012 | 52.42 |
| 23-24 | 0.001559 | 97,791 | 152 | 97,714 | 5,036,146 | 51.50 |
| 24-25 | 0.001541 | 97,638 | 150 | 97,563 | 4,938,431 | 50.58 |
| 25-26 | 0.001509 | 97,488 | 147 | 97,414 | 4,840,869 | 49.66 |
| 26-27 | 0.001491 | 97,341 | 145 | 97,268 | 4,743,454 | 48.73 |
| 27-28 | 0.001508 | 97,195 | 147 | 97,122 | 4,646,186 | 47.80 |
| 28-29 | 0.001575 | 97,049 | 153 | 96,972 | 4,549,064 | 46.87 |
| 29-30 | 0.001675 | 96,896 | 162 | 96,815 | 4,452,092 | 45.95 |
| 30-31 | 0.001784 | 96,734 | 173 | 96,647 | 4,355,277 | 45.02 |
| 31-32 | 0.001886 | 96,561 | 182 | 96,470 | 4,258,630 | 44.10 |
| 32-33 | 0.001990 | 96,379 | 192 | 96,283 | 4,162,160 | 43.19 |
| 33-34 | 0.002091 | 96,187 | 201 | 96,087 | 4,065,877 | 42.27 |
| 34-35 | 0.002193 | 95,986 | 211 | 95,881 | 3,969,790 | 41.36 |
| 35-36 | 0.002300 | 95,776 | 220 | 95,665 | 3,873,909 | 40.45 |
| 36-37 | 0.002414 | 95,555 | 231 | 95,440 | 3,778,244 | 39.54 |
| 37-38 | 0.002541 | 95,325 | 242 | 95,203 | 3,682,804 | 38.63 |
| 38-39 | 0.002684 | 95,082 | 255 | 94,955 | 3,587,600 | 37.73 |
| 39-40 | 0.002847 | 94,827 | 270 | 94,692 | 3,492,646 | 36.83 |
| 40-41 | 0.003027 | 94,557 | 286 | 94,414 | 3,397,954 | 35.94 |
| 41-42 | 0.003222 | 94,271 | 304 | 94,119 | 3,303,539 | 35.04 |
| 42-43 | 0.003434 | 93,967 | 323 | 93,806 | 3,209,420 | 34.15 |
| 43-44 | 0.003659 | 93,644 | 343 | 93,473 | 3,115,615 | 33.27 |
| 44-45 | 0.003896 | 93,302 | 364 | 93,120 | 3,022,141 | 32.39 |
| 45-46 | 0.004152 | 92,938 | 386 | 92,745 | 2,929,021 | 31.52 |
| 46-47 | 0.004431 | 92,552 | 410 | 92,347 | 2,836,276 | 30.65 |
| 47-48 | 0.004733 | 92,142 | 436 | 91,924 | 2,743,929 | 29.78 |
| 48-49 | 0.005070 | 91,706 | 465 | 91,474 | 2,652,004 | 28.92 |
| 49-50 | 0.005461 | 91,241 | 498 | 90,992 | 2,560,531 | 28.06 |
| 50-51 | 0.005934 | 90,743 | 538 | 90,474 | 2,469,539 | 27.21 |
| 51-52 | 0.006487 | 90,204 | 585 | 89,912 | 2,379,065 | 26.37 |
| 52-53 | 0.007086 | 89,619 | 635 | 89,302 | 2,289,153 | 25.54 |
| 53-54 | 0.007693 | 88,984 | 685 | 88,642 | 2,199,851 | 24.72 |
| 54-55 | 0.008311 | 88,300 | 734 | 87,933 | 2,111,209 | 23.91 |
| 55-56 | 0.008977 | 87,566 | 786 | 87,173 | 2,023,277 | 23.11 |
| 56-57 | 0.009756 | 86,780 | 847 | 86,356 | 1,936,104 | 22.31 |
| 57-58 | 0.010667 | 85,933 | 917 | 85,475 | 1,849,747 | 21.53 |
| 58-59 | 0.011748 | 85,016 | 999 | 84,517 | 1,764,272 | 20.75 |
| 59-60 | 0.012991 | 84,018 | 1,091 | 83,472 | 1,679,755 | 19.99 |
| 60-61 | 0.014358 | 82,926 | 1,191 | 82,331 | 1,596,283 | 19.25 |
| 61-62 | 0.015812 | 81,736 | 1,292 | 81,089 | 1,513,952 | 18.52 |
| 62-63 | 0.017330 | 80,443 | 1,394 | 79,746 | 1,432,863 | 17.81 |
| 63-64 | 0.018858 | 79,049 | 1,491 | 78,304 | 1,353,117 | 17.12 |

Table 2. Life table for males: United States, 1996—Con.

| Age | Proportion dying during age interval $q(x)$ | Number living at beginning of age interval $l(x)$ | Number dying during age interval $d(x)$ | Stationary population in the age interval $L(x)$ | Stationary population in this and all subsequent age intervals $T(x)$ | Life expectancy at beginning of age interval $e(x)$ |
|--------|---|---|---|--|---|---|
| 64-65 | 0.020383 | 77,558 | 1,581 | 76,768 | 1,274,813 | 16.44 |
| 65-66 | 0.021848 | 75,978 | 1,660 | 75,148 | 1,198,045 | 15.77 |
| 66-67 | 0.023383 | 74,318 | 1,738 | 73,449 | 1,122,897 | 15.11 |
| 67-68 | 0.025207 | 72,580 | 1,830 | 71,665 | 1,049,449 | 14.46 |
| 68-69 | 0.027491 | 70,750 | 1,945 | 69,778 | 977,784 | 13.82 |
| 69-70 | 0.030207 | 68,805 | 2,078 | 67,766 | 908,006 | 13.20 |
| 70-71 | 0.033187 | 66,727 | 2,214 | 65,620 | 840,240 | 12.59 |
| 71-72 | 0.036240 | 64,512 | 2,338 | 63,343 | 774,620 | 12.01 |
| 72-73 | 0.039395 | 62,174 | 2,449 | 60,950 | 711,277 | 11.44 |
| 73-74 | 0.042591 | 59,725 | 2,544 | 58,453 | 650,327 | 10.89 |
| 74-75 | 0.045894 | 57,181 | 2,624 | 55,869 | 591,874 | 10.35 |
| 75-76 | 0.049398 | 54,557 | 2,695 | 53,210 | 536,005 | 9.82 |
| 76-77 | 0.053270 | 51,862 | 2,763 | 50,481 | 482,795 | 9.31 |
| 77-78 | 0.057672 | 49,099 | 2,832 | 47,684 | 432,315 | 8.80 |
| 78-79 | 0.062828 | 46,268 | 2,907 | 44,814 | 384,631 | 8.31 |
| 79-80 | 0.068839 | 43,361 | 2,985 | 41,868 | 339,817 | 7.84 |
| 80-81 | 0.075905 | 40,376 | 3,065 | 38,844 | 297,948 | 7.38 |
| 81-82 | 0.083882 | 37,311 | 3,130 | 35,746 | 259,105 | 6.94 |
| 82-83 | 0.092429 | 34,181 | 3,159 | 32,602 | 223,359 | 6.53 |
| 83-84 | 0.101131 | 31,022 | 3,137 | 29,453 | 190,757 | 6.15 |
| 84-85 | 0.110108 | 27,885 | 3,070 | 26,350 | 161,304 | 5.78 |
| 85-86 | 0.120029 | 24,814 | 2,978 | 23,325 | 134,954 | 5.44 |
| 86-87 | 0.130316 | 21,836 | 2,846 | 20,413 | 111,629 | 5.11 |
| 87-88 | 0.141402 | 18,990 | 2,685 | 17,648 | 91,216 | 4.80 |
| 88-89 | 0.153413 | 16,305 | 2,501 | 15,054 | 73,568 | 4.51 |
| 89-90 | 0.166396 | 13,804 | 2,297 | 12,655 | 58,513 | 4.24 |
| 90-91 | 0.180167 | 11,507 | 2,073 | 10,470 | 45,858 | 3.99 |
| 91-92 | 0.194452 | 9,434 | 1,834 | 8,516 | 35,388 | 3.75 |
| 92-93 | 0.209003 | 7,599 | 1,588 | 6,805 | 26,872 | 3.54 |
| 93-94 | 0.223728 | 6,011 | 1,345 | 5,339 | 20,066 | 3.34 |
| 94-95 | 0.238591 | 4,666 | 1,113 | 4,110 | 14,728 | 3.16 |
| 95-96 | 0.253628 | 3,553 | 901 | 3,102 | 10,618 | 2.99 |
| 96-97 | 0.268821 | 2,652 | 713 | 2,295 | 7,516 | 2.83 |
| 97-98 | 0.284078 | 1,939 | 551 | 1,664 | 5,221 | 2.69 |
| 98-99 | 0.299362 | 1,388 | 416 | 1,180 | 3,557 | 2.56 |
| 99-100 | 0.314647 | 973 | 306 | 820 | 2,377 | 2.44 |
| 100+ | 1.00000 | 667 | 667 | 1,557 | 1,557 | 2.34 |

Table 3. Life table for females: United States, 1996

| Age | Proportion dying during age interval $q(x)$ | Number living at beginning of age interval $l(x)$ | Number dying during age interval $d(x)$ | Stationary population in the age interval $L(x)$ | Stationary population in this and all subsequent age intervals $T(x)$ | Life expectancy at beginning of age interval $e(x)$ |
|-------|---|---|---|--|---|---|
| 0-1 | 0.006587 | 100,000 | 659 | 99,430 | 7,917,797 | 79.18 |
| 1-2 | 0.000540 | 99,341 | 54 | 99,314 | 7,818,367 | 78.70 |
| 2-3 | 0.000332 | 99,288 | 33 | 99,271 | 7,719,053 | 77.74 |
| 3-4 | 0.000280 | 99,255 | 28 | 99,241 | 7,619,782 | 76.77 |
| 4-5 | 0.000226 | 99,227 | 22 | 99,216 | 7,520,541 | 75.79 |
| 5-6 | 0.000196 | 99,204 | 19 | 99,195 | 7,421,325 | 74.81 |
| 6-7 | 0.000177 | 99,185 | 18 | 99,176 | 7,322,131 | 73.82 |
| 7-8 | 0.000164 | 99,167 | 16 | 99,159 | 7,222,954 | 72.84 |
| 8-9 | 0.000153 | 99,151 | 15 | 99,144 | 7,123,795 | 71.85 |
| 9-10 | 0.000143 | 99,136 | 14 | 99,129 | 7,024,652 | 70.86 |
| 10-11 | 0.000138 | 99,122 | 14 | 99,115 | 6,925,523 | 69.87 |
| 11-12 | 0.000144 | 99,108 | 14 | 99,101 | 6,826,408 | 68.88 |
| 12-13 | 0.000169 | 99,094 | 17 | 99,085 | 6,727,307 | 67.89 |
| 13-14 | 0.000216 | 99,077 | 21 | 99,066 | 6,628,221 | 66.90 |
| 14-15 | 0.000278 | 99,056 | 28 | 99,042 | 6,529,155 | 65.91 |
| 15-16 | 0.000351 | 99,028 | 35 | 99,011 | 6,430,113 | 64.93 |
| 16-17 | 0.000420 | 98,993 | 42 | 98,973 | 6,331,102 | 63.95 |
| 17-18 | 0.000468 | 98,952 | 46 | 98,929 | 6,232,130 | 62.98 |
| 18-19 | 0.000485 | 98,905 | 48 | 98,881 | 6,133,201 | 62.01 |
| 19-20 | 0.000480 | 98,858 | 47 | 98,834 | 6,034,320 | 61.04 |
| 20-21 | 0.000469 | 98,810 | 46 | 98,787 | 5,935,486 | 60.07 |
| 21-22 | 0.000467 | 98,764 | 46 | 98,741 | 5,836,699 | 59.10 |
| 22-23 | 0.000473 | 98,718 | 47 | 98,694 | 5,737,958 | 58.12 |
| 23-24 | 0.000492 | 98,671 | 49 | 98,647 | 5,639,264 | 57.15 |
| 24-25 | 0.000521 | 98,622 | 51 | 98,597 | 5,540,617 | 56.18 |
| 25-26 | 0.000552 | 98,571 | 54 | 98,544 | 5,442,021 | 55.21 |
| 26-27 | 0.000582 | 98,517 | 57 | 98,488 | 5,343,477 | 54.24 |
| 27-28 | 0.000617 | 98,459 | 61 | 98,429 | 5,244,989 | 53.27 |
| 28-29 | 0.000657 | 98,398 | 65 | 98,366 | 5,146,560 | 52.30 |
| 29-30 | 0.000700 | 98,334 | 69 | 98,299 | 5,048,194 | 51.34 |
| 30-31 | 0.000745 | 98,265 | 73 | 98,228 | 4,949,894 | 50.37 |
| 31-32 | 0.000792 | 98,192 | 78 | 98,153 | 4,851,666 | 49.41 |
| 32-33 | 0.000847 | 98,114 | 83 | 98,073 | 4,753,513 | 48.45 |
| 33-34 | 0.000909 | 98,031 | 89 | 97,987 | 4,655,440 | 47.49 |
| 34-35 | 0.000978 | 97,942 | 96 | 97,894 | 4,557,454 | 46.53 |
| 35-36 | 0.001051 | 97,846 | 103 | 97,795 | 4,459,560 | 45.58 |
| 36-37 | 0.001127 | 97,743 | 110 | 97,688 | 4,361,765 | 44.62 |
| 37-38 | 0.001206 | 97,633 | 118 | 97,574 | 4,264,077 | 43.67 |
| 38-39 | 0.001288 | 97,515 | 126 | 97,453 | 4,166,502 | 42.73 |
| 39-40 | 0.001376 | 97,390 | 134 | 97,323 | 4,069,050 | 41.78 |
| 40-41 | 0.001473 | 97,256 | 143 | 97,184 | 3,971,727 | 40.84 |
| 41-42 | 0.001582 | 97,113 | 154 | 97,036 | 3,874,543 | 39.90 |
| 42-43 | 0.001706 | 96,959 | 165 | 96,876 | 3,777,507 | 38.96 |
| 43-44 | 0.001844 | 96,794 | 179 | 96,704 | 3,680,631 | 38.03 |
| 44-45 | 0.001996 | 96,615 | 193 | 96,519 | 3,583,926 | 37.09 |
| 45-46 | 0.002161 | 96,422 | 208 | 96,318 | 3,487,408 | 36.17 |
| 46-47 | 0.002339 | 96,214 | 225 | 96,101 | 3,391,090 | 35.25 |
| 47-48 | 0.002539 | 95,989 | 244 | 95,867 | 3,294,988 | 34.33 |
| 48-49 | 0.002772 | 95,745 | 265 | 95,612 | 3,199,122 | 33.41 |
| 49-50 | 0.003046 | 95,480 | 291 | 95,334 | 3,103,509 | 32.50 |
| 50-51 | 0.003381 | 95,189 | 322 | 95,028 | 3,008,175 | 31.60 |
| 51-52 | 0.003764 | 94,867 | 357 | 94,688 | 2,913,147 | 30.71 |
| 52-53 | 0.004163 | 94,510 | 393 | 94,313 | 2,818,459 | 29.82 |
| 53-54 | 0.004542 | 94,117 | 428 | 93,903 | 2,724,145 | 28.94 |
| 54-55 | 0.004909 | 93,689 | 460 | 93,459 | 2,630,243 | 28.07 |
| 55-56 | 0.005303 | 93,229 | 494 | 92,982 | 2,536,784 | 27.21 |
| 56-57 | 0.005771 | 92,735 | 535 | 92,467 | 2,443,802 | 26.35 |
| 57-58 | 0.006314 | 92,200 | 582 | 91,909 | 2,351,334 | 25.50 |
| 58-59 | 0.006956 | 91,617 | 637 | 91,299 | 2,259,426 | 24.66 |
| 59-60 | 0.007694 | 90,980 | 700 | 90,630 | 2,168,127 | 23.83 |
| 60-61 | 0.008518 | 90,280 | 769 | 89,896 | 2,077,497 | 23.01 |
| 61-62 | 0.009403 | 89,511 | 842 | 89,090 | 1,987,601 | 22.21 |
| 62-63 | 0.010322 | 88,669 | 915 | 88,212 | 1,898,511 | 21.41 |
| 63-64 | 0.011231 | 87,754 | 986 | 87,262 | 1,810,299 | 20.63 |

Table 3. Life table for females: United States, 1996—Con.

| Age | Proportion dying during age interval $q(x)$ | Number living at beginning of age interval $l(x)$ | Number dying during age interval $d(x)$ | Stationary population in the age interval $L(x)$ | Stationary population in this and all subsequent age intervals $T(x)$ | Life expectancy at beginning of age interval $e(x)$ |
|--------|---|---|---|--|---|---|
| 64-65 | 0.012132 | 86,769 | 1,053 | 86,242 | 1,723,037 | 19.86 |
| 65-66 | 0.013006 | 85,716 | 1,115 | 85,159 | 1,636,795 | 19.10 |
| 66-67 | 0.013950 | 84,601 | 1,180 | 84,011 | 1,551,636 | 18.34 |
| 67-68 | 0.015097 | 83,421 | 1,259 | 82,791 | 1,467,625 | 17.59 |
| 68-69 | 0.016547 | 82,162 | 1,359 | 81,482 | 1,384,834 | 16.85 |
| 69-70 | 0.018274 | 80,802 | 1,477 | 80,064 | 1,303,352 | 16.13 |
| 70-71 | 0.020171 | 79,326 | 1,600 | 78,526 | 1,223,288 | 15.42 |
| 71-72 | 0.022130 | 77,725 | 1,720 | 76,865 | 1,144,763 | 14.73 |
| 72-73 | 0.024184 | 76,005 | 1,838 | 75,086 | 1,067,897 | 14.05 |
| 73-74 | 0.026322 | 74,167 | 1,952 | 73,191 | 992,811 | 13.39 |
| 74-75 | 0.028603 | 72,215 | 2,066 | 71,182 | 919,620 | 12.73 |
| 75-76 | 0.031050 | 70,149 | 2,178 | 69,060 | 848,438 | 12.09 |
| 76-77 | 0.033797 | 67,971 | 2,297 | 66,823 | 779,377 | 11.47 |
| 77-78 | 0.037028 | 65,674 | 2,432 | 64,458 | 712,555 | 10.85 |
| 78-79 | 0.040893 | 63,242 | 2,586 | 61,949 | 648,096 | 10.25 |
| 79-80 | 0.045392 | 60,656 | 2,753 | 59,279 | 586,147 | 9.66 |
| 80-81 | 0.050366 | 57,903 | 2,916 | 56,445 | 526,868 | 9.10 |
| 81-82 | 0.055798 | 54,986 | 3,068 | 53,452 | 470,423 | 8.56 |
| 82-83 | 0.061950 | 51,918 | 3,216 | 50,310 | 416,971 | 8.03 |
| 83-84 | 0.069017 | 48,702 | 3,361 | 47,021 | 366,661 | 7.53 |
| 84-85 | 0.077137 | 45,341 | 3,497 | 43,592 | 319,639 | 7.05 |
| 85-86 | 0.085502 | 41,843 | 3,578 | 40,054 | 276,047 | 6.60 |
| 86-87 | 0.094805 | 38,266 | 3,628 | 36,452 | 235,993 | 6.17 |
| 87-88 | 0.104951 | 34,638 | 3,635 | 32,820 | 199,541 | 5.76 |
| 88-89 | 0.116054 | 31,003 | 3,598 | 29,204 | 166,721 | 5.38 |
| 89-90 | 0.128248 | 27,405 | 3,515 | 25,647 | 137,518 | 5.02 |
| 90-91 | 0.141447 | 23,890 | 3,379 | 22,200 | 111,870 | 4.68 |
| 91-92 | 0.155392 | 20,511 | 3,187 | 18,917 | 89,670 | 4.37 |
| 92-93 | 0.169931 | 17,324 | 2,944 | 15,852 | 70,753 | 4.08 |
| 93-94 | 0.185150 | 14,380 | 2,662 | 13,049 | 54,901 | 3.82 |
| 94-95 | 0.201230 | 11,717 | 2,358 | 10,538 | 41,852 | 3.57 |
| 95-96 | 0.218095 | 9,360 | 2,041 | 8,339 | 31,314 | 3.35 |
| 96-97 | 0.235476 | 7,318 | 1,723 | 6,457 | 22,975 | 3.14 |
| 97-98 | 0.253002 | 5,595 | 1,416 | 4,887 | 16,518 | 2.95 |
| 98-99 | 0.270431 | 4,179 | 1,130 | 3,614 | 11,631 | 2.78 |
| 99-100 | 0.287679 | 3,049 | 877 | 2,611 | 8,017 | 2.63 |
| 100+ | 1.00000 | 2,172 | 2,172 | 5,406 | 5,406 | 2.49 |

Table 4. Life table for the white population: United States, 1996

| Age | Proportion dying during age interval $q(x)$ | Number living at beginning of age interval $l(x)$ | Number dying during age interval $d(x)$ | Stationary population in the age interval $L(x)$ | Stationary population in this and all subsequent age intervals $T(x)$ | Life expectancy at beginning of age interval $e(x)$ |
|-------|---|---|---|--|---|---|
| 0-1 | 0.006065 | 100,000 | 607 | 99,475 | 7,687,380 | 76.87 |
| 1-2 | 0.000478 | 99,393 | 48 | 99,370 | 7,587,905 | 76.34 |
| 2-3 | 0.000339 | 99,346 | 34 | 99,329 | 7,488,535 | 75.38 |
| 3-4 | 0.000283 | 99,312 | 28 | 99,298 | 7,389,206 | 74.40 |
| 4-5 | 0.000222 | 99,284 | 22 | 99,273 | 7,289,907 | 73.42 |
| 5-6 | 0.000200 | 99,262 | 20 | 99,252 | 7,190,634 | 72.44 |
| 6-7 | 0.000188 | 99,242 | 19 | 99,233 | 7,091,382 | 71.46 |
| 7-8 | 0.000178 | 99,224 | 18 | 99,215 | 6,992,149 | 70.47 |
| 8-9 | 0.000164 | 99,206 | 16 | 99,198 | 6,892,934 | 69.48 |
| 9-10 | 0.000147 | 99,190 | 15 | 99,182 | 6,793,736 | 68.49 |
| 10-11 | 0.000133 | 99,175 | 13 | 99,169 | 6,694,554 | 67.50 |
| 11-12 | 0.000138 | 99,162 | 14 | 99,155 | 6,595,385 | 66.51 |
| 12-13 | 0.000181 | 99,148 | 18 | 99,139 | 6,496,230 | 65.52 |
| 13-14 | 0.000270 | 99,130 | 27 | 99,117 | 6,397,090 | 64.53 |
| 14-15 | 0.000392 | 99,104 | 39 | 99,084 | 6,297,973 | 63.55 |
| 15-16 | 0.000530 | 99,065 | 53 | 99,039 | 6,198,889 | 62.57 |
| 16-17 | 0.000658 | 99,012 | 65 | 98,980 | 6,099,851 | 61.61 |
| 17-18 | 0.000756 | 98,947 | 75 | 98,910 | 6,000,871 | 60.65 |
| 18-19 | 0.000810 | 98,872 | 80 | 98,832 | 5,901,961 | 59.69 |
| 19-20 | 0.000831 | 98,792 | 82 | 98,751 | 5,803,129 | 58.74 |
| 20-21 | 0.000848 | 98,710 | 84 | 98,668 | 5,704,377 | 57.79 |
| 21-22 | 0.000872 | 98,627 | 86 | 98,584 | 5,605,709 | 56.84 |
| 22-23 | 0.000888 | 98,541 | 87 | 98,497 | 5,507,125 | 55.89 |
| 23-24 | 0.000894 | 98,453 | 88 | 98,409 | 5,408,629 | 54.94 |
| 24-25 | 0.000896 | 98,365 | 88 | 98,321 | 5,310,220 | 53.98 |
| 25-26 | 0.000893 | 98,277 | 88 | 98,233 | 5,211,899 | 53.03 |
| 26-27 | 0.000896 | 98,189 | 88 | 98,145 | 5,113,665 | 52.08 |
| 27-28 | 0.000917 | 98,101 | 90 | 98,056 | 5,015,520 | 51.13 |
| 28-29 | 0.000962 | 98,011 | 94 | 97,964 | 4,917,464 | 50.17 |
| 29-30 | 0.001023 | 97,917 | 100 | 97,867 | 4,819,500 | 49.22 |
| 30-31 | 0.001088 | 97,817 | 106 | 97,764 | 4,721,633 | 48.27 |
| 31-32 | 0.001152 | 97,710 | 113 | 97,654 | 4,623,870 | 47.32 |
| 32-33 | 0.001219 | 97,598 | 119 | 97,538 | 4,526,216 | 46.38 |
| 33-34 | 0.001289 | 97,479 | 126 | 97,416 | 4,428,677 | 45.43 |
| 34-35 | 0.001362 | 97,353 | 133 | 97,287 | 4,331,261 | 44.49 |
| 35-36 | 0.001440 | 97,221 | 140 | 97,150 | 4,233,975 | 43.55 |
| 36-37 | 0.001523 | 97,080 | 148 | 97,007 | 4,136,824 | 42.61 |
| 37-38 | 0.001611 | 96,933 | 156 | 96,855 | 4,039,818 | 41.68 |
| 38-39 | 0.001706 | 96,776 | 165 | 96,694 | 3,942,963 | 40.74 |
| 39-40 | 0.001812 | 96,611 | 175 | 96,524 | 3,846,269 | 39.81 |
| 40-41 | 0.001930 | 96,436 | 186 | 96,343 | 3,749,745 | 38.88 |
| 41-42 | 0.002061 | 96,250 | 198 | 96,151 | 3,653,402 | 37.96 |
| 42-43 | 0.002210 | 96,052 | 212 | 95,946 | 3,557,251 | 37.03 |
| 43-44 | 0.002374 | 95,839 | 227 | 95,726 | 3,461,306 | 36.12 |
| 44-45 | 0.002552 | 95,612 | 244 | 95,490 | 3,365,580 | 35.20 |
| 45-46 | 0.002744 | 95,368 | 262 | 95,237 | 3,270,090 | 34.29 |
| 46-47 | 0.002954 | 95,106 | 281 | 94,966 | 3,174,853 | 33.38 |
| 47-48 | 0.003188 | 94,825 | 302 | 94,674 | 3,079,887 | 32.48 |
| 48-49 | 0.003462 | 94,523 | 327 | 94,359 | 2,985,213 | 31.58 |
| 49-50 | 0.003785 | 94,196 | 357 | 94,018 | 2,890,853 | 30.69 |
| 50-51 | 0.004180 | 93,839 | 392 | 93,643 | 2,796,835 | 29.80 |
| 51-52 | 0.004636 | 93,447 | 433 | 93,231 | 2,703,192 | 28.93 |
| 52-53 | 0.005116 | 93,014 | 476 | 92,776 | 2,609,962 | 28.06 |
| 53-54 | 0.005583 | 92,538 | 517 | 92,280 | 2,517,186 | 27.20 |
| 54-55 | 0.006044 | 92,021 | 556 | 91,743 | 2,424,906 | 26.35 |
| 55-56 | 0.006547 | 91,465 | 599 | 91,166 | 2,333,163 | 25.51 |
| 56-57 | 0.007144 | 90,866 | 649 | 90,542 | 2,241,997 | 24.67 |
| 57-58 | 0.007839 | 90,217 | 707 | 89,864 | 2,151,455 | 23.85 |
| 58-59 | 0.008658 | 89,510 | 775 | 89,123 | 2,061,591 | 23.03 |
| 59-60 | 0.009598 | 88,735 | 852 | 88,309 | 1,972,469 | 22.23 |
| 60-61 | 0.010635 | 87,883 | 935 | 87,416 | 1,884,159 | 21.44 |
| 61-62 | 0.011750 | 86,949 | 1,022 | 86,438 | 1,796,743 | 20.66 |
| 62-63 | 0.012929 | 85,927 | 1,111 | 85,372 | 1,710,305 | 19.90 |
| 63-64 | 0.014130 | 84,816 | 1,198 | 84,217 | 1,624,934 | 19.16 |

Table 4. Life table for the white population: United States, 1996—Con.

| Age | Proportion dying during age interval $q(x)$ | Number living at beginning of age interval $l(x)$ | Number dying during age interval $d(x)$ | Stationary population in the age interval $L(x)$ | Stationary population in this and all subsequent age intervals $T(x)$ | Life expectancy at beginning of age interval $e(x)$ |
|--------|---|---|---|--|---|---|
| 64-65 | 0.015339 | 83,618 | 1,283 | 82,976 | 1,540,717 | 18.43 |
| 65-66 | 0.016513 | 82,335 | 1,360 | 81,655 | 1,457,740 | 17.70 |
| 66-67 | 0.017746 | 80,975 | 1,437 | 80,257 | 1,376,085 | 16.99 |
| 67-68 | 0.019190 | 79,539 | 1,526 | 78,775 | 1,295,828 | 16.29 |
| 68-69 | 0.020959 | 78,012 | 1,635 | 77,195 | 1,217,053 | 15.60 |
| 69-70 | 0.023027 | 76,377 | 1,759 | 75,498 | 1,139,858 | 14.92 |
| 70-71 | 0.025265 | 74,618 | 1,885 | 73,676 | 1,064,360 | 14.26 |
| 71-72 | 0.027559 | 72,733 | 2,004 | 71,731 | 990,685 | 13.62 |
| 72-73 | 0.029974 | 70,729 | 2,120 | 69,669 | 918,954 | 12.99 |
| 73-74 | 0.032513 | 68,609 | 2,231 | 67,493 | 849,285 | 12.38 |
| 74-75 | 0.035232 | 66,378 | 2,339 | 65,209 | 781,792 | 11.78 |
| 75-76 | 0.038151 | 64,039 | 2,443 | 62,818 | 716,583 | 11.19 |
| 76-77 | 0.041373 | 61,596 | 2,548 | 60,322 | 653,765 | 10.61 |
| 77-78 | 0.045061 | 59,048 | 2,661 | 57,717 | 593,443 | 10.05 |
| 78-79 | 0.049357 | 56,387 | 2,783 | 54,996 | 535,726 | 9.50 |
| 79-80 | 0.054291 | 53,604 | 2,910 | 52,149 | 480,730 | 8.97 |
| 80-81 | 0.059846 | 50,694 | 3,034 | 49,177 | 428,581 | 8.45 |
| 81-82 | 0.065976 | 47,660 | 3,144 | 46,088 | 379,404 | 7.96 |
| 82-83 | 0.072739 | 44,516 | 3,238 | 42,897 | 333,317 | 7.49 |
| 83-84 | 0.080181 | 41,278 | 3,310 | 39,623 | 290,420 | 7.04 |
| 84-85 | 0.088472 | 37,968 | 3,359 | 36,288 | 250,797 | 6.61 |
| 85-86 | 0.097060 | 34,609 | 3,359 | 32,929 | 214,509 | 6.20 |
| 86-87 | 0.106279 | 31,250 | 3,321 | 29,589 | 181,580 | 5.81 |
| 87-88 | 0.116338 | 27,928 | 3,249 | 26,304 | 151,991 | 5.44 |
| 88-89 | 0.127407 | 24,679 | 3,144 | 23,107 | 125,687 | 5.09 |
| 89-90 | 0.139617 | 21,535 | 3,007 | 20,032 | 102,580 | 4.76 |
| 90-91 | 0.152837 | 18,528 | 2,832 | 17,112 | 82,548 | 4.46 |
| 91-92 | 0.166717 | 15,697 | 2,617 | 14,388 | 65,436 | 4.17 |
| 92-93 | 0.181079 | 13,080 | 2,368 | 11,895 | 51,047 | 3.90 |
| 93-94 | 0.196054 | 10,711 | 2,100 | 9,661 | 39,152 | 3.66 |
| 94-95 | 0.211860 | 8,611 | 1,824 | 7,699 | 29,491 | 3.42 |
| 95-96 | 0.228467 | 6,787 | 1,551 | 6,012 | 21,792 | 3.21 |
| 96-97 | 0.245594 | 5,236 | 1,286 | 4,593 | 15,780 | 3.01 |
| 97-98 | 0.262815 | 3,950 | 1,038 | 3,431 | 11,187 | 2.83 |
| 98-99 | 0.279885 | 2,912 | 815 | 2,505 | 7,756 | 2.66 |
| 99-100 | 0.296766 | 2,097 | 622 | 1,786 | 5,251 | 2.50 |
| 100+ | 1.00000 | 1,475 | 1,475 | 3,465 | 3,465 | 2.35 |

Table 5. Life table for white males: United States, 1996

| Age | Proportion dying during age interval $q(x)$ | Number living at beginning of age interval $l(x)$ | Number dying during age interval $d(x)$ | Stationary population in the age interval $L(x)$ | Stationary population in this and all subsequent age intervals $T(x)$ | Life expectancy at beginning of age interval $e(x)$ |
|-------|---|---|---|--|---|---|
| 0-1 | 0.006665 | 100,000 | 667 | 99,423 | 7,389,288 | 73.89 |
| 1-2 | 0.000521 | 99,333 | 52 | 99,308 | 7,289,865 | 73.39 |
| 2-3 | 0.000397 | 99,282 | 39 | 99,262 | 7,190,558 | 72.43 |
| 3-4 | 0.000322 | 99,242 | 32 | 99,226 | 7,091,296 | 71.45 |
| 4-5 | 0.000251 | 99,210 | 25 | 99,198 | 6,992,069 | 70.48 |
| 5-6 | 0.000227 | 99,186 | 23 | 99,174 | 6,892,871 | 69.49 |
| 6-7 | 0.000215 | 99,163 | 21 | 99,152 | 6,793,697 | 68.51 |
| 7-8 | 0.000205 | 99,142 | 20 | 99,132 | 6,694,545 | 67.53 |
| 8-9 | 0.000186 | 99,121 | 18 | 99,112 | 6,595,413 | 66.54 |
| 9-10 | 0.000160 | 99,103 | 16 | 99,095 | 6,496,301 | 65.55 |
| 10-11 | 0.000139 | 99,087 | 14 | 99,080 | 6,397,206 | 64.56 |
| 11-12 | 0.000145 | 99,073 | 14 | 99,066 | 6,298,126 | 63.57 |
| 12-13 | 0.000204 | 99,059 | 20 | 99,049 | 6,199,060 | 62.58 |
| 13-14 | 0.000333 | 99,039 | 33 | 99,022 | 6,100,011 | 61.59 |
| 14-15 | 0.000508 | 99,006 | 50 | 98,981 | 6,000,989 | 60.61 |
| 15-16 | 0.000705 | 98,955 | 70 | 98,921 | 5,902,008 | 59.64 |
| 16-17 | 0.000886 | 98,886 | 88 | 98,842 | 5,803,088 | 58.68 |
| 17-18 | 0.001032 | 98,798 | 102 | 98,747 | 5,704,246 | 57.74 |
| 18-19 | 0.001126 | 98,696 | 111 | 98,641 | 5,605,498 | 56.80 |
| 19-20 | 0.001181 | 98,585 | 116 | 98,527 | 5,506,858 | 55.86 |
| 20-21 | 0.001235 | 98,469 | 122 | 98,408 | 5,408,331 | 54.92 |
| 21-22 | 0.001296 | 98,347 | 127 | 98,283 | 5,309,923 | 53.99 |
| 22-23 | 0.001332 | 98,220 | 131 | 98,154 | 5,211,640 | 53.06 |
| 23-24 | 0.001336 | 98,089 | 131 | 98,023 | 5,113,485 | 52.13 |
| 24-25 | 0.001321 | 97,958 | 129 | 97,893 | 5,015,462 | 51.20 |
| 25-26 | 0.001295 | 97,828 | 127 | 97,765 | 4,917,569 | 50.27 |
| 26-27 | 0.001280 | 97,702 | 125 | 97,639 | 4,819,804 | 49.33 |
| 27-28 | 0.001297 | 97,577 | 127 | 97,513 | 4,722,165 | 48.39 |
| 28-29 | 0.001358 | 97,450 | 132 | 97,384 | 4,624,652 | 47.46 |
| 29-30 | 0.001448 | 97,318 | 141 | 97,247 | 4,527,268 | 46.52 |
| 30-31 | 0.001545 | 97,177 | 150 | 97,102 | 4,430,021 | 45.59 |
| 31-32 | 0.001636 | 97,027 | 159 | 96,947 | 4,332,919 | 44.66 |
| 32-33 | 0.001728 | 96,868 | 167 | 96,784 | 4,235,972 | 43.73 |
| 33-34 | 0.001819 | 96,700 | 176 | 96,613 | 4,139,187 | 42.80 |
| 34-35 | 0.001910 | 96,525 | 184 | 96,432 | 4,042,575 | 41.88 |
| 35-36 | 0.002006 | 96,340 | 193 | 96,244 | 3,946,142 | 40.96 |
| 36-37 | 0.002108 | 96,147 | 203 | 96,046 | 3,849,899 | 40.04 |
| 37-38 | 0.002218 | 95,944 | 213 | 95,838 | 3,753,853 | 39.13 |
| 38-39 | 0.002339 | 95,732 | 224 | 95,620 | 3,658,015 | 38.21 |
| 39-40 | 0.002476 | 95,508 | 236 | 95,389 | 3,562,395 | 37.30 |
| 40-41 | 0.002627 | 95,271 | 250 | 95,146 | 3,467,006 | 36.39 |
| 41-42 | 0.002795 | 95,021 | 266 | 94,888 | 3,371,860 | 35.49 |
| 42-43 | 0.002980 | 94,755 | 282 | 94,614 | 3,276,972 | 34.58 |
| 43-44 | 0.003180 | 94,473 | 300 | 94,323 | 3,182,358 | 33.69 |
| 44-45 | 0.003395 | 94,173 | 320 | 94,013 | 3,088,035 | 32.79 |
| 45-46 | 0.003627 | 93,853 | 340 | 93,683 | 2,994,022 | 31.90 |
| 46-47 | 0.003881 | 93,512 | 363 | 93,331 | 2,900,340 | 31.02 |
| 47-48 | 0.004162 | 93,149 | 388 | 92,956 | 2,807,009 | 30.13 |
| 48-49 | 0.004488 | 92,762 | 416 | 92,554 | 2,714,053 | 29.26 |
| 49-50 | 0.004872 | 92,345 | 450 | 92,121 | 2,621,500 | 28.39 |
| 50-51 | 0.005343 | 91,896 | 491 | 91,650 | 2,529,379 | 27.52 |
| 51-52 | 0.005889 | 91,405 | 538 | 91,135 | 2,437,729 | 26.67 |
| 52-53 | 0.006474 | 90,866 | 588 | 90,572 | 2,346,594 | 25.82 |
| 53-54 | 0.007054 | 90,278 | 637 | 89,960 | 2,256,021 | 24.99 |
| 54-55 | 0.007636 | 89,641 | 684 | 89,299 | 2,166,062 | 24.16 |
| 55-56 | 0.008270 | 88,957 | 736 | 88,589 | 2,076,763 | 23.35 |
| 56-57 | 0.009022 | 88,221 | 796 | 87,823 | 1,988,174 | 22.54 |
| 57-58 | 0.009902 | 87,425 | 866 | 86,992 | 1,900,351 | 21.74 |
| 58-59 | 0.010943 | 86,559 | 947 | 86,086 | 1,813,359 | 20.95 |
| 59-60 | 0.012140 | 85,612 | 1,039 | 85,092 | 1,727,273 | 20.18 |
| 60-61 | 0.013450 | 84,573 | 1,138 | 84,004 | 1,642,180 | 19.42 |
| 61-62 | 0.014857 | 83,435 | 1,240 | 82,816 | 1,558,176 | 18.68 |
| 62-63 | 0.016363 | 82,196 | 1,345 | 81,523 | 1,475,361 | 17.95 |
| 63-64 | 0.017928 | 80,851 | 1,450 | 80,126 | 1,393,838 | 17.24 |

Table 5. Life table for white males: United States, 1996—Con.

| Age | Proportion dying during age interval $q(x)$ | Number living at beginning of age interval $l(x)$ | Number dying during age interval $d(x)$ | Stationary population in the age interval $L(x)$ | Stationary population in this and all subsequent age intervals $T(x)$ | Life expectancy at beginning of age interval $e(x)$ |
|--------|---|---|---|--|---|---|
| 64-65 | 0.019528 | 79,401 | 1,551 | 78,626 | 1,313,712 | 16.55 |
| 65-66 | 0.021087 | 77,851 | 1,642 | 77,030 | 1,235,086 | 15.86 |
| 66-67 | 0.022705 | 76,209 | 1,730 | 75,344 | 1,158,056 | 15.20 |
| 67-68 | 0.024576 | 74,479 | 1,830 | 73,564 | 1,082,712 | 14.54 |
| 68-69 | 0.026846 | 72,648 | 1,950 | 71,673 | 1,009,149 | 13.89 |
| 69-70 | 0.029495 | 70,698 | 2,085 | 69,655 | 937,475 | 13.26 |
| 70-71 | 0.032367 | 68,613 | 2,221 | 67,502 | 867,820 | 12.65 |
| 71-72 | 0.035312 | 66,392 | 2,344 | 65,220 | 800,318 | 12.05 |
| 72-73 | 0.038391 | 64,048 | 2,459 | 62,818 | 735,098 | 11.48 |
| 73-74 | 0.041586 | 61,589 | 2,561 | 60,308 | 672,280 | 10.92 |
| 74-75 | 0.044960 | 59,027 | 2,654 | 57,700 | 611,972 | 10.37 |
| 75-76 | 0.048564 | 56,374 | 2,738 | 55,005 | 554,271 | 9.83 |
| 76-77 | 0.052529 | 53,636 | 2,817 | 52,227 | 499,266 | 9.31 |
| 77-78 | 0.057032 | 50,818 | 2,898 | 49,369 | 447,039 | 8.80 |
| 78-79 | 0.062279 | 47,920 | 2,984 | 46,428 | 397,670 | 8.30 |
| 79-80 | 0.068368 | 44,936 | 3,072 | 43,400 | 351,242 | 7.82 |
| 80-81 | 0.075520 | 41,864 | 3,162 | 40,283 | 307,843 | 7.35 |
| 81-82 | 0.083599 | 38,702 | 3,235 | 37,084 | 267,560 | 6.91 |
| 82-83 | 0.092253 | 35,467 | 3,272 | 33,831 | 230,476 | 6.50 |
| 83-84 | 0.101091 | 32,195 | 3,255 | 30,567 | 196,645 | 6.11 |
| 84-85 | 0.110266 | 28,940 | 3,191 | 27,344 | 166,078 | 5.74 |
| 85-86 | 0.120423 | 25,749 | 3,101 | 24,199 | 138,733 | 5.39 |
| 86-87 | 0.131003 | 22,648 | 2,967 | 21,165 | 114,535 | 5.06 |
| 87-88 | 0.142384 | 19,681 | 2,802 | 18,280 | 93,370 | 4.74 |
| 88-89 | 0.154731 | 16,879 | 2,612 | 15,573 | 75,090 | 4.45 |
| 89-90 | 0.168099 | 14,267 | 2,398 | 13,068 | 59,517 | 4.17 |
| 90-91 | 0.182341 | 11,869 | 2,164 | 10,787 | 46,449 | 3.91 |
| 91-92 | 0.197199 | 9,705 | 1,914 | 8,748 | 35,662 | 3.67 |
| 92-93 | 0.212454 | 7,791 | 1,655 | 6,963 | 26,914 | 3.45 |
| 93-94 | 0.228057 | 6,136 | 1,399 | 5,436 | 19,951 | 3.25 |
| 94-95 | 0.243983 | 4,736 | 1,156 | 4,159 | 14,515 | 3.06 |
| 95-96 | 0.260176 | 3,581 | 932 | 3,115 | 10,356 | 2.89 |
| 96-97 | 0.276525 | 2,649 | 733 | 2,283 | 7,241 | 2.73 |
| 97-98 | 0.292883 | 1,917 | 561 | 1,636 | 4,958 | 2.59 |
| 98-99 | 0.309176 | 1,355 | 419 | 1,146 | 3,322 | 2.45 |
| 99-100 | 0.325378 | 936 | 305 | 784 | 2,176 | 2.32 |
| 100+ | 1.00000 | 632 | 632 | 1,392 | 1,392 | 2.20 |

Table 6. Life table for white females: United States, 1996

| Age | Proportion dying during age interval $q(x)$ | Number living at beginning of age interval $l(x)$ | Number dying during age interval $d(x)$ | Stationary population in the age interval $L(x)$ | Stationary population in this and all subsequent age intervals $T(x)$ | Life expectancy at beginning of age interval $e(x)$ |
|-------|---|---|---|--|---|---|
| 0-1 | 0.005435 | 100,000 | 544 | 99,530 | 7,976,740 | 79.77 |
| 1-2 | 0.000433 | 99,456 | 43 | 99,435 | 7,877,210 | 79.20 |
| 2-3 | 0.000279 | 99,413 | 28 | 99,400 | 7,777,775 | 78.24 |
| 3-4 | 0.000242 | 99,386 | 24 | 99,374 | 7,678,375 | 77.26 |
| 4-5 | 0.000191 | 99,362 | 19 | 99,352 | 7,579,001 | 76.28 |
| 5-6 | 0.000171 | 99,343 | 17 | 99,334 | 7,479,649 | 75.29 |
| 6-7 | 0.000158 | 99,326 | 16 | 99,318 | 7,380,315 | 74.30 |
| 7-8 | 0.000150 | 99,310 | 15 | 99,303 | 7,280,997 | 73.32 |
| 8-9 | 0.000141 | 99,295 | 14 | 99,288 | 7,181,695 | 72.33 |
| 9-10 | 0.000132 | 99,281 | 13 | 99,274 | 7,082,406 | 71.34 |
| 10-11 | 0.000127 | 99,268 | 13 | 99,262 | 6,983,132 | 70.35 |
| 11-12 | 0.000131 | 99,255 | 13 | 99,249 | 6,883,870 | 69.36 |
| 12-13 | 0.000156 | 99,242 | 15 | 99,235 | 6,784,621 | 68.36 |
| 13-14 | 0.000204 | 99,227 | 20 | 99,217 | 6,685,387 | 67.37 |
| 14-15 | 0.000268 | 99,207 | 27 | 99,193 | 6,586,170 | 66.39 |
| 15-16 | 0.000344 | 99,180 | 34 | 99,163 | 6,486,977 | 65.41 |
| 16-17 | 0.000414 | 99,146 | 41 | 99,125 | 6,387,814 | 64.43 |
| 17-18 | 0.000459 | 99,105 | 46 | 99,082 | 6,288,688 | 63.45 |
| 18-19 | 0.000470 | 99,059 | 47 | 99,036 | 6,189,606 | 62.48 |
| 19-20 | 0.000454 | 99,013 | 45 | 98,990 | 6,090,570 | 61.51 |
| 20-21 | 0.000431 | 98,968 | 43 | 98,946 | 5,991,580 | 60.54 |
| 21-22 | 0.000417 | 98,925 | 41 | 98,905 | 5,892,634 | 59.57 |
| 22-23 | 0.000412 | 98,884 | 41 | 98,864 | 5,793,729 | 58.59 |
| 23-24 | 0.000424 | 98,843 | 42 | 98,822 | 5,694,865 | 57.62 |
| 24-25 | 0.000448 | 98,801 | 44 | 98,779 | 5,596,043 | 56.64 |
| 25-26 | 0.000475 | 98,757 | 47 | 98,734 | 5,497,264 | 55.66 |
| 26-27 | 0.000500 | 98,710 | 49 | 98,685 | 5,398,530 | 54.69 |
| 27-28 | 0.000528 | 98,661 | 52 | 98,635 | 5,299,845 | 53.72 |
| 28-29 | 0.000557 | 98,609 | 55 | 98,581 | 5,201,210 | 52.75 |
| 29-30 | 0.000589 | 98,554 | 58 | 98,525 | 5,102,629 | 51.78 |
| 30-31 | 0.000622 | 98,496 | 61 | 98,465 | 5,004,104 | 50.81 |
| 31-32 | 0.000659 | 98,434 | 65 | 98,402 | 4,905,639 | 49.84 |
| 32-33 | 0.000702 | 98,370 | 69 | 98,335 | 4,807,237 | 48.87 |
| 33-34 | 0.000751 | 98,301 | 74 | 98,264 | 4,708,902 | 47.90 |
| 34-35 | 0.000806 | 98,227 | 79 | 98,187 | 4,610,639 | 46.94 |
| 35-36 | 0.000865 | 98,148 | 85 | 98,105 | 4,512,452 | 45.98 |
| 36-37 | 0.000928 | 98,063 | 91 | 98,017 | 4,414,346 | 45.02 |
| 37-38 | 0.000993 | 97,972 | 97 | 97,923 | 4,316,329 | 44.06 |
| 38-39 | 0.001063 | 97,874 | 104 | 97,822 | 4,218,406 | 43.10 |
| 39-40 | 0.001140 | 97,770 | 111 | 97,715 | 4,120,584 | 42.15 |
| 40-41 | 0.001226 | 97,659 | 120 | 97,599 | 4,022,869 | 41.19 |
| 41-42 | 0.001323 | 97,539 | 129 | 97,475 | 3,925,270 | 40.24 |
| 42-43 | 0.001437 | 97,410 | 140 | 97,340 | 3,827,796 | 39.30 |
| 43-44 | 0.001566 | 97,270 | 152 | 97,194 | 3,730,456 | 38.35 |
| 44-45 | 0.001710 | 97,118 | 166 | 97,035 | 3,633,262 | 37.41 |
| 45-46 | 0.001865 | 96,952 | 181 | 96,861 | 3,536,227 | 36.47 |
| 46-47 | 0.002034 | 96,771 | 197 | 96,672 | 3,439,366 | 35.54 |
| 47-48 | 0.002225 | 96,574 | 215 | 96,467 | 3,342,694 | 34.61 |
| 48-49 | 0.002450 | 96,359 | 236 | 96,241 | 3,246,227 | 33.69 |
| 49-50 | 0.002718 | 96,123 | 261 | 95,992 | 3,149,986 | 32.77 |
| 50-51 | 0.003045 | 95,862 | 292 | 95,716 | 3,053,993 | 31.86 |
| 51-52 | 0.003418 | 95,570 | 327 | 95,407 | 2,958,277 | 30.95 |
| 52-53 | 0.003804 | 95,243 | 362 | 95,062 | 2,862,871 | 30.06 |
| 53-54 | 0.004168 | 94,881 | 395 | 94,683 | 2,767,809 | 29.17 |
| 54-55 | 0.004520 | 94,486 | 427 | 94,272 | 2,673,125 | 28.29 |
| 55-56 | 0.004903 | 94,059 | 461 | 93,828 | 2,578,853 | 27.42 |
| 56-57 | 0.005361 | 93,597 | 502 | 93,346 | 2,485,025 | 26.55 |
| 57-58 | 0.005891 | 93,096 | 548 | 92,821 | 2,391,679 | 25.69 |
| 58-59 | 0.006510 | 92,547 | 603 | 92,246 | 2,298,857 | 24.84 |
| 59-60 | 0.007221 | 91,945 | 664 | 91,613 | 2,206,611 | 24.00 |
| 60-61 | 0.008015 | 91,281 | 732 | 90,915 | 2,114,999 | 23.17 |
| 61-62 | 0.008877 | 90,549 | 804 | 90,147 | 2,024,084 | 22.35 |
| 62-63 | 0.009781 | 89,745 | 878 | 89,306 | 1,933,937 | 21.55 |
| 63-64 | 0.010688 | 88,867 | 950 | 88,393 | 1,844,630 | 20.76 |

Table 6. Life table for white females: United States, 1996—Con.

| Age | Proportion dying during age interval $q(x)$ | Number living at beginning of age interval $l(x)$ | Number dying during age interval $d(x)$ | Stationary population in the age interval $L(x)$ | Stationary population in this and all subsequent age intervals $T(x)$ | Life expectancy at beginning of age interval $e(x)$ |
|--------|---|---|---|--|---|---|
| 64-65 | 0.011596 | 87,918 | 1,019 | 87,408 | 1,756,238 | 19.98 |
| 65-66 | 0.012483 | 86,898 | 1,085 | 86,356 | 1,668,830 | 19.20 |
| 66-67 | 0.013437 | 85,813 | 1,153 | 85,237 | 1,582,474 | 18.44 |
| 67-68 | 0.014579 | 84,660 | 1,234 | 84,043 | 1,497,237 | 17.69 |
| 68-69 | 0.015999 | 83,426 | 1,335 | 82,759 | 1,413,194 | 16.94 |
| 69-70 | 0.017672 | 82,091 | 1,451 | 81,366 | 1,330,436 | 16.21 |
| 70-71 | 0.019492 | 80,641 | 1,572 | 79,855 | 1,249,070 | 15.49 |
| 71-72 | 0.021374 | 79,069 | 1,690 | 78,224 | 1,169,215 | 14.79 |
| 72-73 | 0.023382 | 77,379 | 1,809 | 76,474 | 1,090,992 | 14.10 |
| 73-74 | 0.025532 | 75,569 | 1,929 | 74,605 | 1,014,517 | 13.42 |
| 74-75 | 0.027878 | 73,640 | 2,053 | 72,613 | 939,913 | 12.76 |
| 75-76 | 0.030417 | 71,587 | 2,177 | 70,498 | 867,299 | 12.12 |
| 76-77 | 0.033250 | 69,410 | 2,308 | 68,256 | 796,801 | 11.48 |
| 77-78 | 0.036552 | 67,102 | 2,453 | 65,875 | 728,546 | 10.86 |
| 78-79 | 0.040447 | 64,649 | 2,615 | 63,342 | 662,670 | 10.25 |
| 79-80 | 0.044933 | 62,034 | 2,787 | 60,640 | 599,329 | 9.66 |
| 80-81 | 0.049860 | 59,247 | 2,954 | 57,770 | 538,688 | 9.09 |
| 81-82 | 0.055251 | 56,293 | 3,110 | 54,738 | 480,919 | 8.54 |
| 82-83 | 0.061410 | 53,182 | 3,266 | 51,549 | 426,181 | 8.01 |
| 83-84 | 0.068587 | 49,916 | 3,424 | 48,205 | 374,632 | 7.51 |
| 84-85 | 0.076929 | 46,493 | 3,577 | 44,704 | 326,427 | 7.02 |
| 85-86 | 0.085393 | 42,916 | 3,665 | 41,084 | 281,723 | 6.56 |
| 86-87 | 0.094809 | 39,251 | 3,721 | 37,391 | 240,639 | 6.13 |
| 87-88 | 0.105111 | 35,530 | 3,735 | 33,663 | 203,248 | 5.72 |
| 88-89 | 0.116443 | 31,795 | 3,702 | 29,944 | 169,585 | 5.33 |
| 89-90 | 0.128890 | 28,093 | 3,621 | 26,283 | 139,641 | 4.97 |
| 90-91 | 0.142375 | 24,472 | 3,484 | 22,730 | 113,358 | 4.63 |
| 91-92 | 0.156661 | 20,988 | 3,288 | 19,344 | 90,628 | 4.32 |
| 92-93 | 0.171586 | 17,700 | 3,037 | 16,181 | 71,284 | 4.03 |
| 93-94 | 0.187245 | 14,663 | 2,746 | 13,290 | 55,103 | 3.76 |
| 94-95 | 0.203751 | 11,917 | 2,428 | 10,703 | 41,813 | 3.51 |
| 95-96 | 0.221059 | 9,489 | 2,098 | 8,440 | 31,109 | 3.28 |
| 96-97 | 0.238900 | 7,392 | 1,766 | 6,509 | 22,669 | 3.07 |
| 97-98 | 0.256912 | 5,626 | 1,445 | 4,903 | 16,161 | 2.87 |
| 98-99 | 0.274906 | 4,180 | 1,149 | 3,606 | 11,258 | 2.69 |
| 99-100 | 0.292823 | 3,031 | 888 | 2,587 | 7,652 | 2.52 |
| 100+ | 1.00000 | 2,144 | 2,144 | 5,064 | 5,064 | 2.36 |

Table 7. Life table for the black population: United States, 1996

| Age | Proportion dying during age interval $q(x)$ | Number living at beginning of age interval $l(x)$ | Number dying during age interval $d(x)$ | Stationary population in the age interval $L(x)$ | Stationary population in this and all subsequent age intervals $T(x)$ | Life expectancy at beginning of age interval $e(x)$ |
|-------|---|---|---|--|---|---|
| 0-1 | 0.014658 | 100,000 | 1,466 | 98,723 | 7,032,782 | 70.33 |
| 1-2 | 0.001090 | 98,534 | 107 | 98,481 | 6,934,059 | 70.37 |
| 2-3 | 0.000679 | 98,427 | 67 | 98,393 | 6,835,578 | 69.45 |
| 3-4 | 0.000535 | 98,360 | 53 | 98,334 | 6,737,185 | 68.50 |
| 4-5 | 0.000448 | 98,307 | 44 | 98,285 | 6,638,851 | 67.53 |
| 5-6 | 0.000374 | 98,263 | 37 | 98,245 | 6,540,565 | 66.56 |
| 6-7 | 0.000335 | 98,227 | 33 | 98,210 | 6,442,320 | 65.59 |
| 7-8 | 0.000303 | 98,194 | 30 | 98,179 | 6,344,110 | 64.61 |
| 8-9 | 0.000268 | 98,164 | 26 | 98,151 | 6,245,931 | 63.63 |
| 9-10 | 0.000229 | 98,138 | 22 | 98,126 | 6,147,780 | 62.64 |
| 10-11 | 0.000198 | 98,115 | 19 | 98,105 | 6,049,654 | 61.66 |
| 11-12 | 0.000201 | 98,096 | 20 | 98,086 | 5,951,549 | 60.67 |
| 12-13 | 0.000269 | 98,076 | 26 | 98,063 | 5,853,463 | 59.68 |
| 13-14 | 0.000418 | 98,050 | 41 | 98,029 | 5,755,400 | 58.70 |
| 14-15 | 0.000621 | 98,009 | 61 | 97,978 | 5,657,371 | 57.72 |
| 15-16 | 0.000846 | 97,948 | 83 | 97,906 | 5,559,393 | 56.76 |
| 16-17 | 0.001057 | 97,865 | 103 | 97,813 | 5,461,486 | 55.81 |
| 17-18 | 0.001239 | 97,761 | 121 | 97,701 | 5,363,673 | 54.86 |
| 18-19 | 0.001383 | 97,640 | 135 | 97,573 | 5,265,972 | 53.93 |
| 19-20 | 0.001501 | 97,505 | 146 | 97,432 | 5,168,400 | 53.01 |
| 20-21 | 0.001630 | 97,359 | 159 | 97,280 | 5,070,968 | 52.09 |
| 21-22 | 0.001770 | 97,200 | 172 | 97,114 | 4,973,688 | 51.17 |
| 22-23 | 0.001880 | 97,028 | 182 | 96,937 | 4,876,574 | 50.26 |
| 23-24 | 0.001942 | 96,846 | 188 | 96,752 | 4,779,637 | 49.35 |
| 24-25 | 0.001970 | 96,658 | 190 | 96,562 | 4,682,885 | 48.45 |
| 25-26 | 0.001984 | 96,467 | 191 | 96,371 | 4,586,323 | 47.54 |
| 26-27 | 0.002015 | 96,276 | 194 | 96,179 | 4,489,951 | 46.64 |
| 27-28 | 0.002084 | 96,082 | 200 | 95,982 | 4,393,773 | 45.73 |
| 28-29 | 0.002205 | 95,881 | 211 | 95,776 | 4,297,791 | 44.82 |
| 29-30 | 0.002364 | 95,670 | 226 | 95,557 | 4,202,015 | 43.92 |
| 30-31 | 0.002529 | 95,444 | 241 | 95,323 | 4,106,458 | 43.02 |
| 31-32 | 0.002689 | 95,202 | 256 | 95,074 | 4,011,135 | 42.13 |
| 32-33 | 0.002859 | 94,946 | 271 | 94,811 | 3,916,061 | 41.24 |
| 33-34 | 0.003040 | 94,675 | 288 | 94,531 | 3,821,250 | 40.36 |
| 34-35 | 0.003233 | 94,387 | 305 | 94,235 | 3,726,719 | 39.48 |
| 35-36 | 0.003432 | 94,082 | 323 | 93,921 | 3,632,484 | 38.61 |
| 36-37 | 0.003640 | 93,759 | 341 | 93,589 | 3,538,564 | 37.74 |
| 37-38 | 0.003870 | 93,418 | 362 | 93,237 | 3,444,975 | 36.88 |
| 38-39 | 0.004134 | 93,056 | 385 | 92,864 | 3,351,738 | 36.02 |
| 39-40 | 0.004431 | 92,672 | 411 | 92,466 | 3,258,874 | 35.17 |
| 40-41 | 0.004755 | 92,261 | 439 | 92,042 | 3,166,408 | 34.32 |
| 41-42 | 0.005097 | 91,822 | 468 | 91,588 | 3,074,366 | 33.48 |
| 42-43 | 0.005457 | 91,354 | 499 | 91,105 | 2,982,778 | 32.65 |
| 43-44 | 0.005826 | 90,856 | 529 | 90,591 | 2,891,672 | 31.83 |
| 44-45 | 0.006207 | 90,326 | 561 | 90,046 | 2,801,081 | 31.01 |
| 45-46 | 0.006624 | 89,766 | 595 | 89,469 | 2,711,035 | 30.20 |
| 46-47 | 0.007076 | 89,171 | 631 | 88,856 | 2,621,567 | 29.40 |
| 47-48 | 0.007534 | 88,540 | 667 | 88,207 | 2,532,711 | 28.61 |
| 48-49 | 0.008000 | 87,873 | 703 | 87,522 | 2,444,504 | 27.82 |
| 49-50 | 0.008495 | 87,170 | 741 | 86,800 | 2,356,983 | 27.04 |
| 50-51 | 0.009072 | 86,430 | 784 | 86,038 | 2,270,183 | 26.27 |
| 51-52 | 0.009750 | 85,646 | 835 | 85,228 | 2,184,145 | 25.50 |
| 52-53 | 0.010479 | 84,811 | 889 | 84,366 | 2,098,917 | 24.75 |
| 53-54 | 0.011206 | 83,922 | 940 | 83,452 | 2,014,551 | 24.01 |
| 54-55 | 0.011916 | 82,981 | 989 | 82,487 | 1,931,099 | 23.27 |
| 55-56 | 0.012605 | 81,993 | 1,034 | 81,476 | 1,848,612 | 22.55 |
| 56-57 | 0.013370 | 80,959 | 1,082 | 80,418 | 1,767,136 | 21.83 |
| 57-58 | 0.014308 | 79,877 | 1,143 | 79,305 | 1,686,719 | 21.12 |
| 58-59 | 0.015512 | 78,734 | 1,221 | 78,123 | 1,607,413 | 20.42 |
| 59-60 | 0.016952 | 77,512 | 1,314 | 76,855 | 1,529,290 | 19.73 |
| 60-61 | 0.018578 | 76,198 | 1,416 | 75,491 | 1,452,435 | 19.06 |
| 61-62 | 0.020217 | 74,783 | 1,512 | 74,027 | 1,376,944 | 18.41 |
| 62-63 | 0.021703 | 73,271 | 1,590 | 72,476 | 1,302,917 | 17.78 |
| 63-64 | 0.022874 | 71,681 | 1,640 | 70,861 | 1,230,442 | 17.17 |

Table 7. Life table for the black population: United States, 1996—Con.

| Age | Proportion dying during age interval $q(x)$ | Number living at beginning of age interval $l(x)$ | Number dying during age interval $d(x)$ | Stationary population in the age interval $L(x)$ | Stationary population in this and all subsequent age intervals $T(x)$ | Life expectancy at beginning of age interval $e(x)$ |
|--------|---|---|---|--|---|---|
| 64-65 | 0.023813 | 70,041 | 1,668 | 69,207 | 1,159,581 | 16.56 |
| 65-66 | 0.024551 | 68,373 | 1,679 | 67,534 | 1,090,373 | 15.95 |
| 66-67 | 0.025434 | 66,695 | 1,696 | 65,846 | 1,022,840 | 15.34 |
| 67-68 | 0.026864 | 64,998 | 1,746 | 64,125 | 956,993 | 14.72 |
| 68-69 | 0.029191 | 63,252 | 1,846 | 62,329 | 892,868 | 14.12 |
| 69-70 | 0.032371 | 61,406 | 1,988 | 60,412 | 830,539 | 13.53 |
| 70-71 | 0.036230 | 59,418 | 2,153 | 58,342 | 770,127 | 12.96 |
| 71-72 | 0.040231 | 57,265 | 2,304 | 56,113 | 711,785 | 12.43 |
| 72-73 | 0.043950 | 54,961 | 2,416 | 53,754 | 655,672 | 11.93 |
| 73-74 | 0.046765 | 52,546 | 2,457 | 51,317 | 601,918 | 11.46 |
| 74-75 | 0.048765 | 50,089 | 2,443 | 48,867 | 550,601 | 10.99 |
| 75-76 | 0.050482 | 47,646 | 2,405 | 46,443 | 501,734 | 10.53 |
| 76-77 | 0.052605 | 45,241 | 2,380 | 44,051 | 455,290 | 10.06 |
| 77-78 | 0.055340 | 42,861 | 2,372 | 41,675 | 411,240 | 9.59 |
| 78-79 | 0.059229 | 40,489 | 2,398 | 39,290 | 369,565 | 9.13 |
| 79-80 | 0.064349 | 38,091 | 2,451 | 36,865 | 330,275 | 8.67 |
| 80-81 | 0.070454 | 35,640 | 2,511 | 34,384 | 293,409 | 8.23 |
| 81-82 | 0.077038 | 33,129 | 2,552 | 31,853 | 259,025 | 7.82 |
| 82-83 | 0.083963 | 30,577 | 2,567 | 29,293 | 227,173 | 7.43 |
| 83-84 | 0.090623 | 28,009 | 2,538 | 26,740 | 197,880 | 7.06 |
| 84-85 | 0.096926 | 25,471 | 2,469 | 24,237 | 171,139 | 6.72 |
| 85-86 | 0.103747 | 23,002 | 2,386 | 21,809 | 146,903 | 6.39 |
| 86-87 | 0.110955 | 20,616 | 2,287 | 19,472 | 125,094 | 6.07 |
| 87-88 | 0.118680 | 18,328 | 2,175 | 17,241 | 105,622 | 5.76 |
| 88-89 | 0.126939 | 16,153 | 2,050 | 15,128 | 88,381 | 5.47 |
| 89-90 | 0.135764 | 14,103 | 1,915 | 13,145 | 73,253 | 5.19 |
| 90-91 | 0.145085 | 12,188 | 1,768 | 11,304 | 60,108 | 4.93 |
| 91-92 | 0.154812 | 10,420 | 1,613 | 9,613 | 48,804 | 4.68 |
| 92-93 | 0.164876 | 8,807 | 1,452 | 8,081 | 39,191 | 4.45 |
| 93-94 | 0.175238 | 7,355 | 1,289 | 6,710 | 31,110 | 4.23 |
| 94-95 | 0.185858 | 6,066 | 1,127 | 5,502 | 24,400 | 4.02 |
| 95-96 | 0.196745 | 4,938 | 972 | 4,453 | 18,898 | 3.83 |
| 96-97 | 0.207890 | 3,967 | 825 | 3,554 | 14,445 | 3.64 |
| 97-98 | 0.219313 | 3,142 | 689 | 2,798 | 10,890 | 3.47 |
| 98-99 | 0.231003 | 2,453 | 567 | 2,170 | 8,093 | 3.30 |
| 99-100 | 0.242952 | 1,886 | 458 | 1,657 | 5,923 | 3.14 |
| 100+ | 1.00000 | 1,428 | 1,428 | 4,266 | 4,266 | 2.99 |

Table 8. Life table for black males: United States, 1996

| Age | Proportion dying during age interval $q(x)$ | Number living at beginning of age interval $l(x)$ | Number dying during age interval $d(x)$ | Stationary population in the age interval $L(x)$ | Stationary population in this and all subsequent age intervals $T(x)$ | Life expectancy at beginning of age interval $e(x)$ |
|-------|---|---|---|--|---|---|
| 0-1 | 0.016022 | 100,000 | 1,602 | 98,603 | 6,612,402 | 66.12 |
| 1-2 | 0.001097 | 98,398 | 108 | 98,344 | 6,513,799 | 66.20 |
| 2-3 | 0.000729 | 98,290 | 72 | 98,254 | 6,415,455 | 65.27 |
| 3-4 | 0.000594 | 98,218 | 58 | 98,189 | 6,317,201 | 64.32 |
| 4-5 | 0.000486 | 98,160 | 48 | 98,136 | 6,219,012 | 63.36 |
| 5-6 | 0.000416 | 98,112 | 41 | 98,092 | 6,120,876 | 62.39 |
| 6-7 | 0.000388 | 98,071 | 38 | 98,052 | 6,022,784 | 61.41 |
| 7-8 | 0.000360 | 98,033 | 35 | 98,016 | 5,924,732 | 60.44 |
| 8-9 | 0.000313 | 97,998 | 31 | 97,983 | 5,826,716 | 59.46 |
| 9-10 | 0.000249 | 97,967 | 24 | 97,955 | 5,728,734 | 58.48 |
| 10-11 | 0.000191 | 97,943 | 19 | 97,934 | 5,630,779 | 57.49 |
| 11-12 | 0.000186 | 97,924 | 18 | 97,915 | 5,532,845 | 56.50 |
| 12-13 | 0.000293 | 97,906 | 29 | 97,892 | 5,434,930 | 55.51 |
| 13-14 | 0.000543 | 97,877 | 53 | 97,851 | 5,337,039 | 54.53 |
| 14-15 | 0.000887 | 97,824 | 87 | 97,781 | 5,239,188 | 53.56 |
| 15-16 | 0.001263 | 97,737 | 123 | 97,676 | 5,141,407 | 52.60 |
| 16-17 | 0.001609 | 97,614 | 157 | 97,535 | 5,043,732 | 51.67 |
| 17-18 | 0.001910 | 97,457 | 186 | 97,364 | 4,946,197 | 50.75 |
| 18-19 | 0.002150 | 97,271 | 209 | 97,166 | 4,848,833 | 49.85 |
| 19-20 | 0.002350 | 97,062 | 228 | 96,948 | 4,751,667 | 48.96 |
| 20-21 | 0.002570 | 96,833 | 249 | 96,709 | 4,654,719 | 48.07 |
| 21-22 | 0.002805 | 96,585 | 271 | 96,449 | 4,558,010 | 47.19 |
| 22-23 | 0.002975 | 96,314 | 286 | 96,170 | 4,461,561 | 46.32 |
| 23-24 | 0.003044 | 96,027 | 292 | 95,881 | 4,365,390 | 45.46 |
| 24-25 | 0.003038 | 95,735 | 291 | 95,590 | 4,269,509 | 44.60 |
| 25-26 | 0.002998 | 95,444 | 286 | 95,301 | 4,173,920 | 43.73 |
| 26-27 | 0.002984 | 95,158 | 284 | 95,016 | 4,078,619 | 42.86 |
| 27-28 | 0.003035 | 94,874 | 288 | 94,730 | 3,983,603 | 41.99 |
| 28-29 | 0.003182 | 94,586 | 301 | 94,436 | 3,888,873 | 41.11 |
| 29-30 | 0.003397 | 94,285 | 320 | 94,125 | 3,794,437 | 40.24 |
| 30-31 | 0.003628 | 93,965 | 341 | 93,794 | 3,700,312 | 39.38 |
| 31-32 | 0.003844 | 93,624 | 360 | 93,444 | 3,606,517 | 38.52 |
| 32-33 | 0.004060 | 93,264 | 379 | 93,075 | 3,513,073 | 37.67 |
| 33-34 | 0.004273 | 92,886 | 397 | 92,687 | 3,419,999 | 36.82 |
| 34-35 | 0.004488 | 92,489 | 415 | 92,281 | 3,327,311 | 35.98 |
| 35-36 | 0.004706 | 92,074 | 433 | 91,857 | 3,235,030 | 35.14 |
| 36-37 | 0.004944 | 91,640 | 453 | 91,414 | 3,143,173 | 34.30 |
| 37-38 | 0.005228 | 91,187 | 477 | 90,949 | 3,051,760 | 33.47 |
| 38-39 | 0.005580 | 90,711 | 506 | 90,457 | 2,960,811 | 32.64 |
| 39-40 | 0.005996 | 90,204 | 541 | 89,934 | 2,870,353 | 31.82 |
| 40-41 | 0.006454 | 89,664 | 579 | 89,374 | 2,780,419 | 31.01 |
| 41-42 | 0.006935 | 89,085 | 618 | 88,776 | 2,691,045 | 30.21 |
| 42-43 | 0.007442 | 88,467 | 658 | 88,138 | 2,602,269 | 29.42 |
| 43-44 | 0.007964 | 87,809 | 699 | 87,459 | 2,514,131 | 28.63 |
| 44-45 | 0.008502 | 87,109 | 741 | 86,739 | 2,426,672 | 27.86 |
| 45-46 | 0.009099 | 86,369 | 786 | 85,976 | 2,339,933 | 27.09 |
| 46-47 | 0.009745 | 85,583 | 834 | 85,166 | 2,253,957 | 26.34 |
| 47-48 | 0.010384 | 84,749 | 880 | 84,309 | 2,168,791 | 25.59 |
| 48-49 | 0.011003 | 83,869 | 923 | 83,408 | 2,084,482 | 24.85 |
| 49-50 | 0.011634 | 82,946 | 965 | 82,464 | 2,001,075 | 24.12 |
| 50-51 | 0.012356 | 81,981 | 1,013 | 81,475 | 1,918,611 | 23.40 |
| 51-52 | 0.013211 | 80,968 | 1,070 | 80,433 | 1,837,136 | 22.69 |
| 52-53 | 0.014151 | 79,898 | 1,131 | 79,333 | 1,756,703 | 21.99 |
| 53-54 | 0.015121 | 78,768 | 1,191 | 78,172 | 1,677,370 | 21.30 |
| 54-55 | 0.016093 | 77,577 | 1,248 | 76,953 | 1,599,197 | 20.61 |
| 55-56 | 0.017034 | 76,328 | 1,300 | 75,678 | 1,522,245 | 19.94 |
| 56-57 | 0.018058 | 75,028 | 1,355 | 74,351 | 1,446,566 | 19.28 |
| 57-58 | 0.019316 | 73,673 | 1,423 | 72,962 | 1,372,216 | 18.63 |
| 58-59 | 0.020936 | 72,250 | 1,513 | 71,494 | 1,299,254 | 17.98 |
| 59-60 | 0.022874 | 70,738 | 1,618 | 69,929 | 1,227,760 | 17.36 |
| 60-61 | 0.025079 | 69,120 | 1,733 | 68,253 | 1,157,831 | 16.75 |
| 61-62 | 0.027278 | 67,386 | 1,838 | 66,467 | 1,089,578 | 16.17 |
| 62-63 | 0.029170 | 65,548 | 1,912 | 64,592 | 1,023,111 | 15.61 |
| 63-64 | 0.030483 | 63,636 | 1,940 | 62,666 | 958,519 | 15.06 |

Table 8. Life table for black males: United States, 1996—Con.

| Age | Proportion dying during age interval $q(x)$ | Number living at beginning of age interval $l(x)$ | Number dying during age interval $d(x)$ | Stationary population in the age interval $L(x)$ | Stationary population in this and all subsequent age intervals $T(x)$ | Life expectancy at beginning of age interval $e(x)$ |
|--------|---|---|---|--|---|---|
| 64-65 | 0.031359 | 61,696 | 1,935 | 60,729 | 895,853 | 14.52 |
| 65-66 | 0.031904 | 59,762 | 1,907 | 58,808 | 835,124 | 13.97 |
| 66-67 | 0.032653 | 57,855 | 1,889 | 56,910 | 776,316 | 13.42 |
| 67-68 | 0.034172 | 55,966 | 1,912 | 55,010 | 719,405 | 12.85 |
| 68-69 | 0.036969 | 54,053 | 1,998 | 53,054 | 664,396 | 12.29 |
| 69-70 | 0.041016 | 52,055 | 2,135 | 50,987 | 611,342 | 11.74 |
| 70-71 | 0.046058 | 49,920 | 2,299 | 48,770 | 560,354 | 11.23 |
| 71-72 | 0.051359 | 47,621 | 2,446 | 46,398 | 511,584 | 10.74 |
| 72-73 | 0.056374 | 45,175 | 2,547 | 43,902 | 465,186 | 10.30 |
| 73-74 | 0.060136 | 42,628 | 2,564 | 41,347 | 421,285 | 9.88 |
| 74-75 | 0.062676 | 40,065 | 2,511 | 38,809 | 379,938 | 9.48 |
| 75-76 | 0.064819 | 37,554 | 2,434 | 36,337 | 341,129 | 9.08 |
| 76-77 | 0.067486 | 35,119 | 2,370 | 33,934 | 304,792 | 8.68 |
| 77-78 | 0.070761 | 32,749 | 2,317 | 31,591 | 270,858 | 8.27 |
| 78-79 | 0.075346 | 30,432 | 2,293 | 29,286 | 239,267 | 7.86 |
| 79-80 | 0.081461 | 28,139 | 2,292 | 26,993 | 209,982 | 7.46 |
| 80-81 | 0.089019 | 25,847 | 2,301 | 24,696 | 182,989 | 7.08 |
| 81-82 | 0.097437 | 23,546 | 2,294 | 22,399 | 158,292 | 6.72 |
| 82-83 | 0.106330 | 21,252 | 2,260 | 20,122 | 135,893 | 6.39 |
| 83-84 | 0.114397 | 18,992 | 2,173 | 17,906 | 115,771 | 6.10 |
| 84-85 | 0.121172 | 16,819 | 2,038 | 15,800 | 97,866 | 5.82 |
| 85-86 | 0.128742 | 14,781 | 1,903 | 13,830 | 82,065 | 5.55 |
| 86-87 | 0.136586 | 12,878 | 1,759 | 11,999 | 68,235 | 5.30 |
| 87-88 | 0.144805 | 11,119 | 1,610 | 10,314 | 56,236 | 5.06 |
| 88-89 | 0.153420 | 9,509 | 1,459 | 8,780 | 45,922 | 4.83 |
| 89-90 | 0.162400 | 8,050 | 1,307 | 7,397 | 37,142 | 4.61 |
| 90-91 | 0.171653 | 6,743 | 1,157 | 6,164 | 29,746 | 4.41 |
| 91-92 | 0.181103 | 5,586 | 1,012 | 5,080 | 23,581 | 4.22 |
| 92-93 | 0.190647 | 4,574 | 872 | 4,138 | 18,502 | 4.05 |
| 93-94 | 0.200191 | 3,702 | 741 | 3,331 | 14,364 | 3.88 |
| 94-95 | 0.209679 | 2,961 | 621 | 2,650 | 11,032 | 3.73 |
| 95-96 | 0.219110 | 2,340 | 513 | 2,084 | 8,382 | 3.58 |
| 96-97 | 0.228523 | 1,827 | 418 | 1,619 | 6,298 | 3.45 |
| 97-98 | 0.237917 | 1,410 | 335 | 1,242 | 4,680 | 3.32 |
| 98-99 | 0.247311 | 1,074 | 266 | 941 | 3,438 | 3.20 |
| 99-100 | 0.256695 | 809 | 208 | 705 | 2,496 | 3.09 |
| 100+ | 1.00000 | 601 | 601 | 1,791 | 1,791 | 2.98 |

Table 9. Life table for black females: United States, 1996

| Age | Proportion dying during age interval $q(x)$ | Number living at beginning of age interval $l(x)$ | Number dying during age interval $d(x)$ | Stationary population in the age interval $L(x)$ | Stationary population in this and all subsequent age intervals $T(x)$ | Life expectancy at beginning of age interval $e(x)$ |
|-------|---|---|---|--|---|---|
| 0-1 | 0.013253 | 100,000 | 1,325 | 98,864 | 7,431,539 | 74.32 |
| 1-2 | 0.001082 | 98,675 | 107 | 98,621 | 7,332,674 | 74.31 |
| 2-3 | 0.000627 | 98,568 | 62 | 98,537 | 7,234,053 | 73.39 |
| 3-4 | 0.000474 | 98,506 | 47 | 98,483 | 7,135,516 | 72.44 |
| 4-5 | 0.000409 | 98,459 | 40 | 98,439 | 7,037,033 | 71.47 |
| 5-6 | 0.000331 | 98,419 | 33 | 98,403 | 6,938,594 | 70.50 |
| 6-7 | 0.000280 | 98,387 | 28 | 98,373 | 6,840,191 | 69.52 |
| 7-8 | 0.000245 | 98,359 | 24 | 98,347 | 6,741,818 | 68.54 |
| 8-9 | 0.000221 | 98,335 | 22 | 98,324 | 6,643,471 | 67.56 |
| 9-10 | 0.000208 | 98,313 | 20 | 98,303 | 6,545,147 | 66.57 |
| 10-11 | 0.000206 | 98,293 | 20 | 98,283 | 6,446,844 | 65.59 |
| 11-12 | 0.000217 | 98,273 | 21 | 98,262 | 6,348,562 | 64.60 |
| 12-13 | 0.000245 | 98,251 | 24 | 98,239 | 6,250,300 | 63.62 |
| 13-14 | 0.000290 | 98,227 | 28 | 98,213 | 6,152,061 | 62.63 |
| 14-15 | 0.000346 | 98,199 | 34 | 98,182 | 6,053,848 | 61.65 |
| 15-16 | 0.000414 | 98,165 | 41 | 98,144 | 5,955,666 | 60.67 |
| 16-17 | 0.000483 | 98,124 | 47 | 98,100 | 5,857,521 | 59.70 |
| 17-18 | 0.000544 | 98,077 | 53 | 98,050 | 5,759,421 | 58.72 |
| 18-19 | 0.000593 | 98,023 | 58 | 97,994 | 5,661,371 | 57.76 |
| 19-20 | 0.000636 | 97,965 | 62 | 97,934 | 5,563,377 | 56.79 |
| 20-21 | 0.000685 | 97,903 | 67 | 97,869 | 5,465,443 | 55.83 |
| 21-22 | 0.000745 | 97,836 | 73 | 97,799 | 5,367,574 | 54.86 |
| 22-23 | 0.000811 | 97,763 | 79 | 97,723 | 5,269,774 | 53.90 |
| 23-24 | 0.000881 | 97,684 | 86 | 97,641 | 5,172,051 | 52.95 |
| 24-25 | 0.000955 | 97,598 | 93 | 97,551 | 5,074,410 | 51.99 |
| 25-26 | 0.001032 | 97,504 | 101 | 97,454 | 4,976,859 | 51.04 |
| 26-27 | 0.001117 | 97,404 | 109 | 97,349 | 4,879,405 | 50.09 |
| 27-28 | 0.001213 | 97,295 | 118 | 97,236 | 4,782,056 | 49.15 |
| 28-29 | 0.001319 | 97,177 | 128 | 97,113 | 4,684,820 | 48.21 |
| 29-30 | 0.001434 | 97,049 | 139 | 96,979 | 4,587,708 | 47.27 |
| 30-31 | 0.001548 | 96,909 | 150 | 96,834 | 4,490,728 | 46.34 |
| 31-32 | 0.001664 | 96,759 | 161 | 96,679 | 4,393,894 | 45.41 |
| 32-33 | 0.001797 | 96,598 | 174 | 96,512 | 4,297,215 | 44.49 |
| 33-34 | 0.001951 | 96,425 | 188 | 96,331 | 4,200,703 | 43.56 |
| 34-35 | 0.002123 | 96,237 | 204 | 96,135 | 4,104,372 | 42.65 |
| 35-36 | 0.002302 | 96,032 | 221 | 95,922 | 4,008,238 | 41.74 |
| 36-37 | 0.002482 | 95,811 | 238 | 95,692 | 3,912,316 | 40.83 |
| 37-38 | 0.002665 | 95,574 | 255 | 95,446 | 3,816,623 | 39.93 |
| 38-39 | 0.002853 | 95,319 | 272 | 95,183 | 3,721,177 | 39.04 |
| 39-40 | 0.003049 | 95,047 | 290 | 94,902 | 3,625,994 | 38.15 |
| 40-41 | 0.003261 | 94,757 | 309 | 94,603 | 3,531,092 | 37.26 |
| 41-42 | 0.003488 | 94,448 | 329 | 94,283 | 3,436,489 | 36.38 |
| 42-43 | 0.003726 | 94,119 | 351 | 93,943 | 3,342,206 | 35.51 |
| 43-44 | 0.003973 | 93,768 | 373 | 93,582 | 3,248,263 | 34.64 |
| 44-45 | 0.004230 | 93,395 | 395 | 93,198 | 3,154,681 | 33.78 |
| 45-46 | 0.004509 | 93,000 | 419 | 92,791 | 3,061,483 | 32.92 |
| 46-47 | 0.004812 | 92,581 | 446 | 92,358 | 2,968,692 | 32.07 |
| 47-48 | 0.005136 | 92,135 | 473 | 91,899 | 2,876,334 | 31.22 |
| 48-49 | 0.005488 | 91,662 | 503 | 91,411 | 2,784,435 | 30.38 |
| 49-50 | 0.005885 | 91,159 | 536 | 90,891 | 2,693,024 | 29.54 |
| 50-51 | 0.006359 | 90,623 | 576 | 90,335 | 2,602,133 | 28.71 |
| 51-52 | 0.006910 | 90,047 | 622 | 89,735 | 2,511,799 | 27.89 |
| 52-53 | 0.007491 | 89,424 | 670 | 89,089 | 2,422,063 | 27.09 |
| 53-54 | 0.008046 | 88,754 | 714 | 88,397 | 2,332,974 | 26.29 |
| 54-55 | 0.008569 | 88,040 | 754 | 87,663 | 2,244,576 | 25.49 |
| 55-56 | 0.009084 | 87,286 | 793 | 86,889 | 2,156,913 | 24.71 |
| 56-57 | 0.009668 | 86,493 | 836 | 86,075 | 2,070,024 | 23.93 |
| 57-58 | 0.010383 | 85,657 | 889 | 85,212 | 1,983,949 | 23.16 |
| 58-59 | 0.011294 | 84,767 | 957 | 84,289 | 1,898,737 | 22.40 |
| 59-60 | 0.012386 | 83,810 | 1,038 | 83,291 | 1,814,448 | 21.65 |
| 60-61 | 0.013612 | 82,772 | 1,127 | 82,209 | 1,731,157 | 20.91 |
| 61-62 | 0.014869 | 81,645 | 1,214 | 81,038 | 1,648,949 | 20.20 |
| 62-63 | 0.016078 | 80,431 | 1,293 | 79,785 | 1,567,910 | 19.49 |
| 63-64 | 0.017148 | 79,138 | 1,357 | 78,460 | 1,488,126 | 18.80 |

Table 9. Life table for black females: United States, 1996—Con.

| Age | Proportion dying during age interval $q(x)$ | Number living at beginning of age interval $l(x)$ | Number dying during age interval $d(x)$ | Stationary population in the age interval $L(x)$ | Stationary population in this and all subsequent age intervals $T(x)$ | Life expectancy at beginning of age interval $e(x)$ |
|--------|---|---|---|--|---|---|
| 64-65 | 0.018119 | 77,781 | 1,409 | 77,076 | 1,409,666 | 18.12 |
| 65-66 | 0.018976 | 76,372 | 1,449 | 75,647 | 1,332,590 | 17.45 |
| 66-67 | 0.019943 | 74,922 | 1,494 | 74,175 | 1,256,943 | 16.78 |
| 67-68 | 0.021323 | 73,428 | 1,566 | 72,645 | 1,182,767 | 16.11 |
| 68-69 | 0.023362 | 71,863 | 1,679 | 71,023 | 1,110,122 | 15.45 |
| 69-70 | 0.026021 | 70,184 | 1,826 | 69,271 | 1,039,099 | 14.81 |
| 70-71 | 0.029193 | 68,357 | 1,996 | 67,360 | 969,828 | 14.19 |
| 71-72 | 0.032468 | 66,362 | 2,155 | 65,285 | 902,469 | 13.60 |
| 72-73 | 0.035491 | 64,207 | 2,279 | 63,068 | 837,184 | 13.04 |
| 73-74 | 0.037818 | 61,928 | 2,342 | 60,757 | 774,116 | 12.50 |
| 74-75 | 0.039562 | 59,586 | 2,357 | 58,408 | 713,359 | 11.97 |
| 75-76 | 0.041087 | 57,229 | 2,351 | 56,053 | 654,951 | 11.44 |
| 76-77 | 0.042975 | 54,878 | 2,358 | 53,698 | 598,898 | 10.91 |
| 77-78 | 0.045537 | 52,519 | 2,392 | 51,324 | 545,199 | 10.38 |
| 78-79 | 0.049264 | 50,128 | 2,469 | 48,893 | 493,876 | 9.85 |
| 79-80 | 0.054161 | 47,658 | 2,581 | 46,368 | 444,983 | 9.34 |
| 80-81 | 0.059912 | 45,077 | 2,701 | 43,727 | 398,615 | 8.84 |
| 81-82 | 0.066033 | 42,376 | 2,798 | 40,977 | 354,889 | 8.37 |
| 82-83 | 0.072470 | 39,578 | 2,868 | 38,144 | 313,911 | 7.93 |
| 83-84 | 0.078841 | 36,710 | 2,894 | 35,263 | 275,767 | 7.51 |
| 84-85 | 0.085181 | 33,816 | 2,880 | 32,375 | 240,505 | 7.11 |
| 85-86 | 0.092237 | 30,935 | 2,853 | 29,509 | 208,129 | 6.73 |
| 86-87 | 0.099905 | 28,082 | 2,806 | 26,679 | 178,621 | 6.36 |
| 87-88 | 0.108167 | 25,276 | 2,734 | 23,909 | 151,942 | 6.01 |
| 88-89 | 0.117011 | 22,542 | 2,638 | 21,223 | 128,032 | 5.68 |
| 89-90 | 0.126449 | 19,905 | 2,517 | 18,646 | 106,809 | 5.37 |
| 90-91 | 0.136428 | 17,388 | 2,372 | 16,202 | 88,163 | 5.07 |
| 91-92 | 0.146888 | 15,015 | 2,206 | 13,913 | 71,961 | 4.79 |
| 92-93 | 0.157787 | 12,810 | 2,021 | 11,799 | 58,049 | 4.53 |
| 93-94 | 0.169085 | 10,789 | 1,824 | 9,877 | 46,249 | 4.29 |
| 94-95 | 0.180752 | 8,964 | 1,620 | 8,154 | 36,373 | 4.06 |
| 95-96 | 0.192745 | 7,344 | 1,416 | 6,636 | 28,218 | 3.84 |
| 96-97 | 0.205046 | 5,929 | 1,216 | 5,321 | 21,582 | 3.64 |
| 97-98 | 0.217642 | 4,713 | 1,026 | 4,200 | 16,261 | 3.45 |
| 98-99 | 0.230505 | 3,687 | 850 | 3,262 | 12,061 | 3.27 |
| 99-100 | 0.243613 | 2,837 | 691 | 2,492 | 8,799 | 3.10 |
| 100+ | 1.00000 | 2,146 | 2,146 | 6,307 | 6,307 | 2.94 |