

Energy and the Environment

PHYS 4400, Principles and Varieties of Solar Energy

Instructor: Randy J. Ellingson
The University of Toledo

February 3, 2015



Some near-term topics

Energy conversion

Need for energy conversion

Value of energy efficiency

Environmental impacts and challenges

Fossil energy

Greenhouse effect

Global climate change

Weather vs. climate



Understanding energy

When we talk about energy, our language refers to *energy generation* and *energy consumption*. Physically, these phrases refer to *energy recovery (or development)* and *energy conversion*.

Examples:

- We establish systems for bringing fuels (such as coal, natural gas, and wood) to power plants where the energy is converted to electricity;
- Mining, drilling, hydraulic fracturing, pumping, biomass harvesting -- these are all methods we use to recover (or gather) fuels (primary energy sources) – petroleum, natural gas, nuclear fuel, wood and plant matter;
- These fuels are then subjected to various processes which convert their stored energy content (chemical energy, or mass energy) to (most commonly) thermal energy to generate steam which drives turbines which generate electricity.



Environmental impacts and challenges

- Energy conversion processes and technologies always impact the environment, but in widely varying ways.
- Environment consist of air, water, soil, flora and fauna.
- Energy conversion processes include photosynthesis, photovoltaic energy conversion, combustion, hydrodynamic power, nuclear fission.
- Water quality: the combustion of coal emits substantial quantities of pollutants into the air, which ultimately enter the water supply (lakes, oceans) through rainfall. Nuclear and coal plants use copious amounts of water – in some cases the water is expelled at an elevated temperature, and in other cases the water is depleted through evaporation.

http://www.ucsusa.org/clean_energy/our-energy-choices/energy-and-water-use/water-energy-electricity-coal.html?print=t

“For every three units of energy produced by the reactor core of a U.S. nuclear power plants, two units are discharged to the environment as waste heat. Nuclear plants are built on the shores of lakes, rivers, and oceans because these bodies provide the large quantities of cooling water needed to handle the waste heat discharge.”

http://www.ucsusa.org/nuclear_power/nuclear_power_technology/got-water-nuclear-power.html




Environmental impacts and challenges (cont.)

Environmental impacts of coal.

NIMBY?

Health Effects of Selected Power Plant Pollutants^{a,b}

Substance	Human Toxicity		Comments
	Acute	Chronic	
Sulfur dioxide	Lung irritant, triggers asthma, low birth weight in infants.	Reduces lung function, associated with premature death.	Also contributes to acid rain and poor visibility.
Nitrogen oxides	Changes lung function, increases respiratory illness in children.	Increases susceptibility to respiratory illnesses and causes permanent alteration of lung.	Forms ozone smog and acid rain. Ozone is associated with asthma, reduced lung function, adverse birth outcomes and allergen sensitization.
Particulate Matter	Asthma attacks, heart rate variability, heart attacks.	Cardiovascular disease, pneumonia, chronic obstructive pulmonary disease, premature death.	Fine particle pollution from power plants is estimated to cut short the lives of 30,000 Americans each year.
Hydrogen chloride	Inhalation causes coughing, hoarseness, chest pain, and inflammation of respiratory tract.	Chronic occupational exposure is associated with gastritis, chronic bronchitis, dermatitis, photo sensitization in workers.	
Hydrogen Fluoride	Inhalation causes severe respiratory damage, severe irritation and pulmonary edema.		Very high exposures through drinking water or air can cause skeletal fluorosis.
Arsenic	Ingestion and Inhalation: affects the gastrointestinal system and central nervous system.	Known human carcinogen with high potency. Inhalation causes lung cancer; ingestion causes lung, skin, bladder and liver cancer. The kidney is affected following chronic inhalation and oral exposure.	
Cadmium	Inhalation exposure causes bronchial and pulmonary irritation. A single acute exposure to high levels of cadmium can result in long-lasting impairment of lung function.	Probable human carcinogen of medium potency. The kidney is the major target organ in humans following chronic inhalation and oral exposure.	Other effects noted from chronic inhalation exposure are bronchiolitis and emphysema.
Chromium	High exposure to chromium VI may result in renal toxicity, gastrointestinal hemorrhage and internal hemorrhage.	Known human carcinogen of high potency.	Chronic effects from industrial exposures are inflammation of the respiratory tract, effects on the kidneys, liver, and gastrointestinal tract.
Mercury	Inhalation exposure to elemental mercury results in central nervous system effects and effects on gastrointestinal tract and respiratory system.	Methyl mercury ingestion causes developmental effects. Infants born to women who ingested methylmercury may perform poorly on neurobehavioral tests.	The major effect from chronic exposure to inorganic mercury is kidney damage.




http://www.catf.us/resources/publications/files/Cradle_to_Grave.pdf



Environmental impacts and challenges (cont.)

The main human activity that emits CO₂ is the combustion of fossil fuels (coal, natural gas, and oil) for energy and transportation, although certain industrial processes and land-use changes also emit CO₂. The main sources of CO₂ emissions in the United States are described below.

- **Electricity.** Electricity is a significant source of energy in the United States and is used to power homes, business, and industry. The combustion of fossil fuels to generate electricity is the largest single source of CO₂ emissions in the nation, accounting for about 40% of total U.S. CO₂ emissions and 33% of total U.S. greenhouse gas emissions in 2009. The type of fossil fuel used to generate electricity will emit different amounts of CO₂. To produce a given amount of electricity, burning coal will produce more CO₂ than oil or natural gas.
- **Transportation.** The combustion of fossil fuels, such as gasoline and diesel to transport people and goods is the second largest source of CO₂ emissions, accounting for about 31% of total U.S. CO₂ emissions and 26% of total U.S. greenhouse gas emissions in 2010. This category includes transportation sources such as highway vehicles, air travel, marine transportation, and rail.
- **Industry.** Many industrial processes emit CO₂ through fossil fuel combustion. Several processes also produce CO₂ emissions through chemical reactions that do not involve combustion, for example, the production and consumption of mineral products such as cement, the production of metals such as iron and steel, and the production of chemicals. Various industrial processes accounted for about 14% of total U.S. CO₂ emissions and 20% of total U.S. greenhouse gas emissions in 2010. Note that many industrial processes also use electricity and therefore indirectly cause the emissions from the electricity production.



Environmental impacts and challenges (cont.)

Air quality

From <http://www.epa.gov/hg/about.htm>: “Health effects of mercury. Mercury exposure at high levels can harm the brain, heart, kidneys, lungs, and immune system of people of all ages. Research shows that most people's fish consumption does not cause a health concern. However, it has been demonstrated that high levels of methylmercury in the bloodstream of unborn babies and young children may harm the developing nervous system, making the child less able to think and learn.”



The Greenhouse Effect



Solar radiation:
343 Watts per
 m^2

Some of the solar radiation is reflected by the atmosphere and the Earth's surface

Outgoing solar radiation: 103 Watts per m^2

Some of the infrared radiation passes through the atmosphere and out into space

Outgoing infrared radiations: 240 Watts per m^2

Solar radiation passes through the atmosphere
Incoming solar radiation: 240 Watts per m^2

About half the solar radiation is absorbed by the Earth's surface

Absorption solar radiation: 168 Watts per m^2

Some of the infrared radiation is absorbed and re-emitted by the greenhouse gas molecules.

Radiation is converted to heat energy, causing the emission of longwave (infrared) radiation back to the atmosphere


Atmosphere
Greenhouse Gases

Earth

<http://www.elmhurst.edu/~chm/vchembook/globalwarmA5.html>



Radiation Transmitted by the Atmosphere



Greenhouse effect (continued)

- Climate change has been linked principally to the generation and emission of so-called greenhouse gases.
- The most substantial greenhouse gas, due to its prevalence and direct quantitative accounting through our use of fossil fuels, is CO₂.




Fig. 1 Vibrational modes of CO₂

Symmetric mode, bending mode, and asymmetric mode. Corresponding “energies” are 667 cm⁻¹ for the bending mode, and 2349 cm⁻¹ for the asymmetric mode.


Energies expressed in units of cm⁻¹ (called **wavenumber** units) are based on the fact that the energy of a photon depends on the wavelength (since h and c are constants). Larger values of wavenumbers corresponds to higher energy, with 10,000 cm⁻¹ → 1 μm.

An energy of 2349 cm⁻¹ can be converted to show the wavelength (e.g. in μm) by $(1/2349)$ cm = 4.26 x 10⁻⁴ cm = 4.26 x 10⁻⁶ m = 4.26 μm.




Global climate change

The most general definition of climate change is a change in the statistical properties of the climate system when considered over long periods of time, regardless of cause. - http://en.wikipedia.org/wiki/Climate_change




Global warming

Earth's weather system has been observed to be warming over the past > 100 years. The weather system includes the atmosphere and the oceans.



Global warming (cont.)

1999-2008 Mean Temperatures



10-year average (2000–2009) global mean temperature anomaly relative to the 1940–1980 mean.



Weather vs. climate

Weather refers to the atmospheric conditions over a short period of time (e.g., “the weather forecast”), such as week or a little longer. The climate of a region refers to the average weather over a period of many years or even decades.

Weather conditions vary quite widely around climate averages.

Over long periods of time, we have observed changes in the climate for many regions on earth, leading to glaciers receding, reduced average snowfalls, and (typically) increased average temperatures.

