




ELSEVIER

Available online at www.sciencedirect.com

SCIENCE @ DIRECT®

Surface Science 523 (2003) 316



www.elsevier.com/locate/susc

Erratum

Erratum to: “Absolute orientation-dependent TiN(001) step energies from two-dimensional equilibrium island shape and coarsening measurements on epitaxial TiN(001) layers” [Surf. Sci. 513 (2002) 468–474] ☆

S. Kodambaka *, S.V. Khare, V. Petrova, A. Vailionis ¹, I. Petrov, J.E. Greene

*Department of Materials Science and the Frederick Seitz Materials Research Laboratory, University of Illinois,
104 South Goodwin Avenue, Urbana, IL 61801, USA*

In the abstract line 8, we reported the values for kink formation energies $\varepsilon_{110} = 0.40 \pm 0.2$ eV and $\varepsilon_{100} = 0.11 \pm 0.1$ eV.

Instead, the *correct* values are $\varepsilon_{110} = 0.40 \pm 0.02$ eV and $\varepsilon_{100} = 0.11 \pm 0.01$ eV.

☆ PII of original article S0039-6028(02)01845-9.

* Corresponding author. Address: Materials Science and Engineering, 1101 W. Springfield Avenue, ESB 1-135, Urbana, IL 61801, USA. Tel.: +1-217-3333481; fax: +1-217-2441638.

E-mail addresses: kodambak@uiuc.edu (S. Kodambaka), arturas@stanford.edu (A. Vailionis).

¹ Present address: Geballe Laboratory for Advanced Materials, McCullough Building 227, 476 Lomita Mall, Stanford University, Stanford, CA 94305, USA.